



## The 2025 Starfish Barometer

Marina Lévy<sup>1</sup>, Karina von Schuckmann<sup>2</sup>, Patrick Vincent<sup>2</sup>, Bruno Blanke<sup>3</sup>, Joachim Claudet<sup>4</sup>,  
Patrice Guillotreau<sup>5</sup>, Audrey Hasson<sup>2</sup>, Claire Jolly<sup>6</sup>, Yunne Shin<sup>5</sup>, Olivier Thébaud<sup>7</sup>, Adrien Vincent<sup>8</sup>,  
and Pierre Bahurel<sup>2</sup>

<sup>1</sup>Sorbonne Université, LOCEAN-IPSL, CNRS/IRD/MNH, Paris, France

<sup>2</sup>Mercator Ocean International, Toulouse, France

<sup>3</sup>LOPS-IUEM, UBO/CNRS/Ifremer/IRD, Brest, France

<sup>4</sup>CNRS, PSL-EPHE-UPVD, CRILOBE, Paris, France

<sup>5</sup>MARBEQ, IRD/Ifremer/CNRS/Université Montpellier, Montpellier, France

<sup>6</sup>OECD, Paris, France

<sup>7</sup>AMURE, Ifremer/UBO/CNRS/IRD, IUEM, Plouzané, Brest, France

<sup>8</sup>IPOS, Paris, France

**Correspondence:** Marina Lévy (marina.levy@locean.ipsl.fr)

Received: 29 April 2025 – Discussion started: 30 April 2025

Revised: 8 May 2025 – Accepted: 13 May 2025 – Published: 8 June 2025

**Abstract.** The Ocean is essential to life on Earth, regulates the climate, supports rich biodiversity, sustains livelihoods, and inspires cultures and societies. However, unregulated human impacts are putting the Ocean and its ability to contribute to humanity at risk. The Starfish Barometer is a new initiative launched on World Ocean Day (8 June 2025) to provide a concise, science-based annual overview of the multiple dimensions of the Ocean through the lens of its interdependence with humanity. Each year, the Starfish Barometer will present a carefully curated selection of Ocean-related developments, chosen for their global significance and grounded in the most up-to-date scientific evidence, intended for a broad non-specialist audience. Rather than offering an exhaustive review, it will spotlight key aspects, robust, evidence-based, and reflective of major developments of the year. The Starfish Barometer emphasizes the two-way relationship between humanity and the Ocean: we impact its future, and it shapes ours. Its distinctive format, a five-armed starfish with the current state of the Ocean on the top arm, visually represents the balance conveyed by the four remaining arms: human-induced pressures that are undermining Ocean health, the resulting harms to society, the Ocean protection efforts underway, and the opportunities that the Ocean continues to offer to humanity. Key figures from the 2025 edition illustrate the alarming state of the Ocean. Sea level has risen by 23 cm since 1901; in 2023 alone, the losses from tropical storms and flooding totalled USD 102 billion. The 2024 Ocean temperatures broke the 64-year record, with sea-surface temperature and marine heatwaves showing a marked increase globally. Marine animal food production reached a record  $115 \times 10^6$  t in 2022, yet 37.7 % of fish stocks remain overexploited, highlighting the urgent need for sustainable practices. Declared protection policies currently cover 8.34 % of the Ocean's surface, while marine biodiversity is under threat, with now 1677 marine species recorded as being at risk of extinction.

## 1 Introduction

The Ocean<sup>1</sup> is essential to life on Earth – it regulates the climate, supports rich biodiversity, sustains livelihoods, and shapes cultures. Yet, information about its current state remains fragmented across disciplines, reports, and institutions, often inaccessible to the general public. The Starfish Barometer responds to a pressing need: to bring together, once a year and in one place, the most recent, reliable, and evidence-based scientific knowledge about the Ocean for the general public. Published each year on World Ocean Day (8 June), the Starfish Barometer serves as a yearly civic rendezvous by translating the year's most significant Ocean-related developments into accessible science-based insights.

What makes the Starfish Barometer unique is not the novelty of the data it presents – on the contrary, all the information it includes has already been published and validated in the scientific literature and institutional or international reports. Its strength lies in how it brings together this dispersed knowledge, synthesizing it into a comprehensive and integrated overview of the Ocean, aligned with the United Nations Sustainable Development Goal related to the Ocean, SDG 14 (UN, 2015). The Barometer is designed to serve a broad non-specialist audience, including policy makers, educators, civil society actors, and the general public, while remaining grounded in peer-reviewed science to ensure credibility and relevance for the scientific community as well. The Starfish Barometer takes stock of the latest available information on historical changes and current status and trends, rather than focusing on projected futures. In this sense, it acts as a snapshot of the year, drawing attention to key developments and current trends or highlighting important knowledge gaps. Each year, the Starfish Barometer selects and curates Ocean-related developments – such as new or updated scientific findings, international policy decisions, or governance milestones – chosen for their global relevance and based on the most recent knowledge available at the time of publication. This selection is not exhaustive but reflects key signals from the year, robust, factual, and representative of major trends.

The Starfish Barometer adopts a distinctive perspective, looking at the Ocean through the lens of its interdependence with humanity. Humans do both good and harm to the Ocean – and the Ocean, in turn, does both good and harm to humans. By presenting this dual relationship in a holistic and balanced way, the Starfish Barometer highlights the complex web of interactions that shapes the Ocean–humanity relationship. It puts into perspective human pressures and protection efforts, societal harms, and opportunities for humanity, offering a clear and accessible overview of these dynamics to em-

power informed decisions and commitments for Ocean protection. This approach emphasizes that the Ocean is a vital environment from which we derive many benefits – provided we take good care of it.


To visualize the balance in the relationships between humanity and the Ocean, the Starfish Barometer takes the shape of a five-armed starfish (Fig. 1). The top arm offers a global view of the Ocean's state. The two arms on the left side of the starfish represent negative developments: human-induced pressures and resulting harms to society. The two arms on the right side reflect positive dynamics: efforts to protect the Ocean and opportunities the Ocean provides to humanity. The upper arms show humanity's negative and positive impacts, while the lower arms show how the Ocean harms and creates opportunities for humanity. Thus the Starfish can be read horizontally, from left to right (negative to positive), or vertically, from top to bottom (human action to societal consequence). Selected key information is featured as concise, evidence-based news items, arranged along each branch of the Starfish Barometer and highlighted through short, clear, and accessible headlines. This format ensures scientific objectivity while making information accessible to a broad audience. The present article establishes the peer-reviewed scientific foundation of the Starfish Barometer (<http://www.starfishbarometer.org>, last access: 8 June 2025).

## 2 Methodology

The content of the Starfish Barometer was curated by a multidisciplinary group of experts, who identified and selected significant recent developments to be featured in the five thematic branches. The process began with each expert proposing candidate news items, based on a set of common criteria: global relevance, robustness of the underlying data, significance of the development, and relevance to the Ocean–human relationship. Sources included scientific assessments (e.g. IPCC, FAO, OECD), new or updated datasets (e.g. Global Carbon Budget), recent peer-reviewed scientific publications, international policy developments, data gaps, and emerging alerts. The proposed items were then collectively reviewed and discussed by the expert group to determine their relevance and final selection. This process is qualitative and adaptive by design, guided by transparent criteria and expert judgement to ensure that each Barometer edition remains accessible to the general public and focused on widely relevant issues.

The allocation of news items to specific branches is guided by thematic relevance but is not exclusive, as many Ocean-related developments intersect multiple dimensions. For example, certain topics, such as illegal, unreported, and unregulated (IUU) fishing, could be considered both a human pressure and a threat to societal equity. In such cases, items were assigned to the branch most closely aligned with the primary focus of the issue, following a consistent editorial framework

<sup>1</sup>Throughout the paper, we have used “Ocean” capitalized, just as one does for Earth, to underscore the scientific recognition of a single, interconnected global Ocean. This usage aligns with the convention adopted by IPCC (2019).



**Figure 1.** Schematic of the five branches of the Starfish Barometer and key figures for 2025. At the top, the blue branch represents the current state of the Ocean. The four other branches can be read horizontally, from red tones on the left to green tones on the right (negative to positive), or vertically, from darker tones at the top to lighter tones at the bottom (human actions to societal consequences). The figures represent the most recent estimates available on 8 June 2025.

rather than rigid topic boundaries. Each branch was limited to one page and to four key messages, anchored in recent developments and supported, in most cases, by figures and trend analyses.

We intentionally chose not to establish explicit logical connections between the news items within or across branches. While the branches together form a coherent picture of the Ocean–human relationship, forcing a linear or causal narrative might create an illusion of completeness or determinism that does not reflect the complexity of Ocean issues. Instead, each message stands on its own as a robust signal from the past year, contributing to a broader mosaic of understanding.

All figures presented in the Starfish Barometer are drawn directly from authoritative sources and are reported as published, in order to ensure transparency and traceability. Readers interested in the methodological details or associated uncertainties are encouraged to consult the original sources.

Each annual edition of the Starfish Barometer will follow the same symbolic and structural framework, with its five same thematic arms: Ocean state, human pressures, societal harms, protection efforts, and opportunities for humanity. However, the content within each arm will evolve yearly to reflect the most recent and relevant developments. When new data become available – such as for carbon emissions or sea level – they will be updated accordingly. Yet not all information is refreshed annually, and the Barometer’s

non-exhaustive approach provides the necessary flexibility to highlight either new figures or important issues that may vary from one year to the next. In this sense, the Barometer differs from initiatives like the Global Carbon Project (Friedlingstein et al., 2025) or the Ocean Health Index (Halpern et al., 2012): rather than systematically updating a fixed dataset, it offers a curated, narrative-based selection that captures the most meaningful signals of the year.

### 3 2025 Starfish five arms

#### 3.1 Ocean state

**The sea is rising – its level has increased globally by 23 cm since 1901.** This is a direct consequence of accelerated Ocean warming and increasing ice loss from ice sheets and glaciers. In 2024, global sea levels reached the highest level ever recorded since monitoring began, rising 23 cm since 1901 (WMO, 2025; Forster et al., 2025). Over the past decade (2015–2024), the rate of sea-level rise has been twice as fast as in the early years of satellite records (1993–2002), due to increasing ice loss from the Greenland and Antarctic ice sheets, ongoing glacier mass loss, and thermal expansion due to Ocean warming (WMO, 2025).

**The Ocean reached its highest recorded temperatures,** with oxygen loss and rapid acidification threatening marine life. The year 2024 marks a year of intense, persistent, and

widespread heatwaves in the Ocean, and Ocean heat content reached its highest level in the 64 years for which we have reliable recorded global observations (since 1960), surpassing the previous record high set in 2023 (WMO, 2025; Cheng et al., 2025; Pan et al., 2025) and the 2015/16 record by 0.25 °C at the Ocean surface (Terhaar et al., 2025). The record Ocean surface temperature values reflect natural variability amplified by long-term global warming – an event unlikely to occur without the underlying climate trend (Terhaar et al., 2025; Guinaldo et al., 2025).

Ocean warming has doubled over the past 2 decades and has been accelerating for the past 70 years (IPCC, 2019; von Schuckmann et al., 2023; Minière et al., 2023; Storto and Yang, 2024; Forster et al., 2024). Ocean surface acidity (in  $[H^+]$  concentration) has risen by 30 % over the past 39 years (IPCC, 2021; von Schuckmann et al., 2024; WMO, 2025), and open-Ocean waters have experienced an oxygen reduction of 0.8 % to 2.4 % over the past half-century to century (Breitburg et al., 2018; Oschlies, 2021; IPCC, 2021).

**1677 marine species are threatened with extinction**, with a third of sharks and over a quarter of cetaceans critically endangered, mainly due to overfishing and climate change. As of the most recent update (May 2025), 1677 marine species are listed as being at risk of extinction on the IUCN Red List, including 291 classified as critically endangered, 647 as endangered, and 739 as vulnerable (IUCN, 2025). Among these, 1211 species are experiencing declining populations, 28 are increasing, and the remainder either are stable or have unknown trends. This represents an increase of 204 species at risk since the last reported estimate (IOC-UNESCO, 2024). One-third of sharks, rays, and chimaeras are classified as threatened, with 67 % at risk of extinction due to fisheries (Jabado et al., 2024). A total of 26 % of 92 cetacean species (whales, dolphins, and porpoises) are threatened with extinction, and 11 % are near-threatened. The percentage of threatened cetaceans has increased over time, from 15 % in 1991 to 26 % in 2021 (Braulik et al., 2023). The Ocean Census initiative has discovered 866 new marine species in its first year, highlighting the unknown depths of Ocean life. This pace of discovery highlights a critical risk: countless marine species may go extinct before they are even identified – threatened by multiple stressors such as climate change, deep sea mining, and bottom trawling (IPOS, 2025), making conservation efforts all the more urgent (Ocean Census, 2025).

**The fourth major coral bleaching event recorded hit the Ocean**, with almost half of all coral species threatened with extinction and a worrying acceleration in reef degradation. Following extreme conditions in 2023 driven by historically high heat stress, the 2024 coral bleaching event is the fourth global event on record since 1985 and the second in the past decade (Hoegh-Guldberg et al., 2023; NOAA, 2024). Live coral cover on reefs has nearly halved over the past 150 years, with the decline dramatically accelerating over the past 2 or 3 decades (IPBES, 2019). A total of 44 % of reef

coral species are threatened with extinction (IUCN, 2025). The rapid decline in coral reefs – the Ocean's most biodiverse habitat – is weakening natural storm protection, threatening biodiversity, and endangering livelihoods (IPBES, 2019).

### 3.2 Human pressures

**Fossil fuel CO<sub>2</sub> emissions are rising, including a 2.7 % increase from shipping.** The 2024 Global Carbon Budget projects global fossil carbon dioxide (CO<sub>2</sub>) emissions of 37.4 Gt (10<sup>9</sup> t), up 0.8 % from 2023 (Friedlingstein et al., 2025). Emissions from international shipping are also on the rise, with a projected 0.6 Gt of CO<sub>2</sub> in 2024 (representing 1.6 % of total global emissions), up 2.7 % from 2023 (Andrew et al., 2024); these figures rely on countries' self-reported data regarding fuel sales for international shipping. Fossil fuel CO<sub>2</sub> emissions are the main contributor to recent climate change (IPCC, 2021). They also lead to Ocean acidification as approximately one-third of these emissions are absorbed by the Ocean (Friedlingstein et al., 2025).

**Unsustainable fishing hits 37.7 %, while 75 % of large vessels go untracked.** The percentage of marine stocks fished at unsustainable levels (i.e. beyond maximum sustainable yield) has increased since the mid-1970s, from 10 % in 1974 to 37.7 % in 2021 (FAO, 2024). Marine fisheries' activities involved approximately 4.9 million registered motorized and non-motorized fishing vessels in 2022 (FAO, 2024). This estimate represents only part of the sustainability challenge, as it does not account for broader ecological and social impacts of fisheries (Asche et al., 2025), nor for IUU fishing. An estimated 75 % of large (> 15 m) fishing vessels operate without proper tracking (2017–2021), challenging growing efforts to combat IUU fishing and to regulate marine protected areas (MPAs) (Paolo et al., 2024).

**Rising human and climate pressures threaten marine habitats globally.** A combination of growing pressures is involved, including unsustainable fishing practices, pollution, Ocean warming, acidification, and oxygen loss pushing marine ecosystems and species beyond their tolerance limits. Climate change is driving the loss of suitable habitats globally, with the most pronounced shifts in species richness occurring in tropical ecosystems (Chaudhary et al., 2021). Coastal ecosystems are also showing increasing signs of degradation. Since 1950, coastal hypoxia has increased 10-fold, reducing the extent and quality of coastal habitats critical to marine biodiversity (Breitburg et al., 2018). Climate change and pollution-driven eutrophication have caused a rise in the reporting of nearshore macroalgal blooms (green tides) worldwide over the past 2 decades (Ren et al., 2024), although comprehensive global estimates are lacking. Also, 50 % of mangrove ecosystems are at risk of collapse (IUCN, 2024), and over half of World Heritage seagrass habitats have high vulnerability to climate change (Losciale et al., 2024), while 33 % of the world's sandy coastline is currently hardened by human-made structures (Nawarat et al., 2024). The



multiple uses of coastal areas – like coastal infrastructures, tourism, fish farming, and offshore structures – are putting more pressure on Ocean habitats, through pollution; habitat destruction; and increased risks of marine pathogens, parasites, and invasive species, especially as coastal populations grow: in 2018, about 2.2 billion people, or 30 % of the world's population, lived within 50 km of the coast (Cosby et al., 2024).

**Plastic pollution is rising but still no global system to monitor and assess it.** Global plastic production surged from 2 Mt ( $10^6$  t) in 1950 to 413.8 Mt in 2023, of which only 8.7 % is from recycled origin (Plastics Europe, 2024). Plastic waste accounts for over 80 % of identified aquatic debris (Harris et al., 2023). In 2021, plastic accumulation in rivers and the Ocean was estimated at 75–199 Mt (UNEP, 2021). Marine plastic pollution has been reported since the 1970s, but the absence of a unified global monitoring system still hampers effective assessment and response (Galgani et al., 2024).

### 3.3 Societal harms

**Global losses from tropical storms and floods hit USD 102 billion.** In 2023, the loss of economic assets caused by tropical cyclones and floods was worth USD 102 billion (inflation-adjusted, Munich RE, 2025a, b). Since 1980, losses have grown exponentially and now regularly exceed USD 100 billion per year, costing 25 % more to human populations every decade in inflation-adjusted terms (Nordhaus, 2006). Tropical storms often trigger heavy rainfall resulting in floods, casualties, and destruction of assets worth billions of dollars (Kron et al., 2019). Approximately 560 million people are exposed yearly, and this number has increased across all cyclone intensities over the past 2 decades (Jing et al., 2024).

**Insurance premium costs incurred by maritime activities grew by 5.9 %** with the expansion of global trade and increasing threats. Global marine insurance premiums totalled USD 38.9 billion in 2023, a 5.9 % increase from 2022 (IUMI, 2024). Steady growth has occurred over the past 5 years. Geopolitical tensions on global trade routes have significantly impacted insurance premiums and increased voyage costs by rerouting vessels, causing longer transit times. The growth also reveals the rise in insurance costs against hurricanes, war conflicts, and piracy. The main insurance premiums reported by the International Union of Maritime Insurance (IUMI) and P&I (Protection and Indemnity) clubs insure around 95 % of all risks, but public insurance figures only provide a partial view of total risk exposure (Knapp and Heij, 2017). In particular, damage to marine ecosystems in the case of oil spills varies widely, and some cannot be valued in monetary terms (El Moussaoui and Idelhakkar, 2023).

**9002 migrants lost their lives at sea** – the highest casualty loss recorded in the past decade. More than 73 000 migrants have died or disappeared at sea during the past decade,

with the highest toll in 2024 with 9002 fatalities or disappearances (IOM, 2025). This represents a 3 % increase from 2023 but a 25 % increase from 2022. Poverty, unemployment, starvation, and insecurity are the main drivers of migration (Ndaliman and Abubakar, 2024). Changing environmental conditions, e.g. from sea-level rise, depletion of marine resources due to overfishing, and climate variability, are also important drivers of forced displacement (McLeman et al., 2025). However, the link between oceanic changes and migrant fatalities remains unclear and requires further investigation.

**USD 250 billion health costs and 1200 species affected by marine plastic pollution.** In 2015, health costs related to plastic exposure through seafood exceeded USD 250 billion globally (Landrigan et al., 2023). Chemicals carried by microplastics have been found in human blood, fat, and urine and are linked to cancer, infertility, obesity, heart disease, and developmental issues in babies – even before birth (European Environment Agency et al., 2021). Over 1200 marine species were reported to be harmed by plastic pollution through entanglement, ingestion, and chemical contamination (Santos et al., 2021).

### 3.4 Protection efforts

**Global protected areas hits 8.34 %**, but efforts are still needed to effectively reach the 30 % target. Over the past decade, the global coverage of MPAs has increased significantly, from 3.72 % of the global Ocean in 2015 (Lubchenco and Grorud-Colvert, 2015) to 8.34 % in 2024 (corresponding to  $30.238 \times 10^6$  km<sup>2</sup>), but is still far from the  $30 \times 30$  target (protecting 30 % of the coastal and marine waters by 2030) (Protected Planet, 2025; UNEP-WCMC and IUCN, 2024). While 19 % of national waters (39 % of the Ocean) are protected, just 1.45 % of areas beyond national jurisdiction (61 % of the global Ocean) have protection (Protected Planet, 2025). Between 2023 and 2024, the surface covered by MPAs only increased by 0.007 % (Protected Planet, 2024). Globally, one in four MPAs exist only on paper (i.e. are not effectively implemented), and an additional third fails to truly support conservation goals (Pike et al., 2024). Only a third of the global coverage of MPAs is fully or highly protected (Pike et al., 2024). Ensuring that the global network of MPAs delivers its expected benefits for climate, biodiversity, and food security requires not only achieving the 30 % coverage target, but also increasing the level of protection within MPAs (Arneth et al., 2023).

**Multilateral Ocean governance advances**, highlighted by 21 ratifications of the High Seas Treaty. In 2024, the UN High Seas Treaty entered a critical phase with national ratifications and implementation planning. As of April 2025, 21 countries had ratified the treaty (High Seas Alliance, 2025). This treaty aims to promote the conservation and sustainable use of marine Biodiversity Beyond National Jurisdiction (BBNJ) – covering nearly two-thirds of the Ocean

(Blasiak and Claudet, 2024) – including via capacity building, transfer of marine technology and equitable sharing of the benefits of marine genetic resources. In 2024, new global guidelines were adopted to strengthen sustainable fisheries management by improving transparency, combating IUU fishing, restricting catch limits, and expanding AI-powered satellite monitoring (FAO, 2024; European Commission, 2024; Global Fishing Watch, 2024). The year 2024 also saw major advancements in blue carbon initiatives and marine renewable energy (Global Mangrove Alliance, 2024). In March 2022, a resolution was adopted by the UN to end plastic pollution through a legally binding agreement (UNEA-5). In July 2023, the International Maritime Organization adopted a new climate strategy targeting a 40 % cut in carbon intensity from international shipping by 2030, alongside a push for at least 5 % of the sector's energy to come from zero or near-zero emission fuels and technologies (IMO, 2023). In 2024, the International Tribunal for the Law of the Sea issued a landmark opinion (ITLOS, 2024), addressing states' obligations to protect the Ocean from climate change impacts within the framework of the United Nations Convention on the Law of the Sea (UNCLOS).

**Equity rises as a driving force in global Ocean conservation,** climate and sustainable development. Equity is increasingly recognized as an enabler of environmental sustainability, economic development, and global stability (Österblom et al., 2023; Claudet et al., 2024). The Convention on Biological Diversity (CBD) explicitly introduces equity in the Aichi Target 11 (CBD, 2010) and in the Kunming-Montreal Global Biodiversity Framework (CBD, 2022). Equity is a core principle of the 2030 Sustainable Development Agenda (UN, 2015). Since 2021, the UN Decade of Ocean Science for Sustainable Development has supported equitable access to Ocean knowledge and capacity building (Claudet et al., 2020). Equity is now central in sustainable planning efforts (Strand et al., 2024). Grassroots resistance efforts led by coastal communities have successfully stopped unfair exposure to environmental harms and preserved their livelihoods (Blythe et al., 2023).

**Ocean literacy is gaining global momentum,** with unprecedented growth in educational activities. Ocean Literacy is becoming a key pillar of Ocean and coastal management and policy (Shellock et al., 2024). Since 2021, 418 Ocean literacy activities and 27 projects have been endorsed under the UN Decade of Ocean Science. In 2024, the release of the Venice declaration offers a global framework for Ocean literacy (IOC-UNESCO, 2024; Ocean Literacy World Conference, 2024).

### 3.5 Opportunities for humanity

**Marine animal food production reached a record 115 million tonnes,** meeting a global demand with environmental costs. Marine aquaculture has almost quadrupled since the 1990s, reaching 35.3 Mt in 2022 (FAO, 2024), and now cor-

responds to 31 % of the total production of marine animal foods (FAO, 2024). In comparison, global marine capture fisheries' production has remained relatively stable since the 1990s, reaching 79.7 Mt in 2022. While sustainable aquaculture production is possible, the sector's diversity means some systems still cause significant environmental harm (Garlock et al., 2024). Overall, the global apparent consumption of aquatic animal food increased by 3 % per year between 1961 and 2021 – outpacing both the growth of the world's population (1.6 % per year) and the consumption of terrestrial meats (FAO, 2024). Over the same period, the internationally traded value of aquatic animal products grew by an average of 4.0 % annually, highlighting their increasing importance as one of the most extensively traded food commodities worldwide (FAO, 2024). These trends underscore that strengthening the sustainability of aquatic food production is essential to reduce environmental impacts and harness emerging economic opportunities.

**The marine-derived health market is growing amid high inequity,** with +7.5 % for marine-derived pharmaceutical sales. In 2024, a landmark global database containing 308.6 million gene clusters of marine origin was published (Laiolo et al., 2024), marking the largest collection of its kind to date and highlighting the acceleration in bio-prospecting for new marine genetic resources (Krusberg et al., 2024). Future potential is vast given that 70 %–90 % of marine species are still undescribed (Sigwart et al., 2021). The global market for marine-derived pharmaceuticals was valued at USD 4.1 billion in 2023 (Fact.MR, 2023), while the marine oligosaccharides market – including pharmaceuticals but also cosmetics and other uses – reached USD 3.56 billion in 2024 (Precedence Research, 2025). Both markets are growing rapidly, with marine-derived pharmaceuticals sales increasing by 7.5 % between 2018 and 2022 (Fact.MR, 2023). However, access to marine genetic resources remains highly inequitable, with nearly half of all patents owned by a single company (Blasiak et al., 2018). Moreover, a critical point is the harvest of sufficient amounts of compounds without harming the marine environment (Lindequist, 2016).

**USD 2.6 trillion Ocean economy powers 134 million jobs** – but at an environmental cost. Between 1995 and 2020, the Ocean economy contributed between 3 % and 4 % of total global gross value added, doubling from USD 1.3 trillion to USD 2.6 trillion (OECD, 2025). Its share of global employment also rose, from 3.5 % to 4.7 %, with 134 million full-time equivalent (FTE) jobs in 2019 before the COVID-19 pandemic. In 2022, 43.9 million people were engaged in marine fisheries, aquaculture, or unspecified subsectors (FAO, 2024). The expansion has been largely driven by two sectors with high environmental impacts: offshore oil and gas (USD 988 billion in 2020) and coastal and marine tourism (USD 789 billion in 2019), the latter employing 80 million FTEs. Offshore wind and marine renewable energies, however, experienced the fastest growth, with gross value added rising from USD 38.2 million in 2000 to

USD 4.6 billion in 2020 (OECD, 2025; Jouffray et al., 2020). Reducing the environmental costs of Ocean-based industries – through expanding alternative energy sources and improving sustainability – presents major opportunities for sustainable economic growth.

**Small-scale fisheries support 88 % of marine harvest jobs and USD 51.8 billion.** Marine small-scale fisheries account for a significant fraction of the total annual marine landings with an estimated 25.1 Mt (31.2 % of global landings) (FAO et al., 2023; Gutierrez et al., 2023), representing an average (2013–2017) USD 51.8 billion annual landed economic value, higher than the revenues of cruise tourism, port activities, or offshore wind (Virdin et al., 2023). Although data remain incomplete and vary across regions, available estimates suggest that small-scale fisheries generate around 40 % of global fisheries catches (Basurto et al., 2025). They employ approximately 12.9 million people in the harvesting segment, which represents 88.1 % of total employment in marine fisheries value chains, and they contribute directly to sustainable development by providing livelihoods, cultural value, and critical nutrition – especially to vulnerable societal groups (Basurto et al., 2025). Strengthening the sustainability and resilience of small-scale fisheries – including addressing pressures from other Ocean sectors – is key to safeguarding their vital role in eradicating poverty, hunger, and malnutrition.

#### 4 Conclusion

With the growing demand for evidence-based information, there is an urgent need to improve regular access to coherent, cross-disciplinary Ocean knowledge in order to foster well-informed awareness. The Starfish Barometer addresses this need by acting as a recurring synthesis and access point for such knowledge, drawing on multilateral scientific assessments – such as those from the IPCC, IPBES, and the World Ocean Assessment – as well as recent international reports and peer-reviewed academic research. Several global initiatives already contribute to monitoring various aspects of Ocean health, such as the Ocean Health Index (Halpern et al., 2012, 2017) or the Ocean State Report (von Schuckmann et al., 2024). The Starfish Barometer complements these efforts by adopting a distinct narrative format and focusing each year on a carefully selected set of developments. Its symbolic structure and non-exhaustive nature allow it to highlight new evidence, figures, or issues as they emerge, helping connect scientific knowledge to a broader civic and policy-oriented conversation.

Each year, the Starfish Barometer will spotlight a curated set of Ocean-related developments that have stood out over the past 12 months. For its first edition, the Starfish Barometer has brought together a curated selection of Ocean-related developments, chosen for their global relevance and sci-

entific robustness, drawing on the most recent information available – even when published prior to the past year.

The view of this first Starfish Barometer reveals that the Ocean is undergoing rapid and alarming changes, marked by record heat, rising seas, widespread species decline, and threatened major ecosystems. Increasing pressures from rising greenhouse gas emissions and overexploitation are degrading the health of the Ocean, and pollution and habitat loss, particularly in coastal areas, are intensifying these challenges, while gaps in the global monitoring system hamper effective responses. The escalating costs of tropical storms and floods, coupled with rising migration fatalities, underscore the disproportionate burden for vulnerable populations and ecosystems. Likewise, the persistent threat of marine plastic pollution exposes the environmental injustice faced by both marine life and at-risk human communities, exacerbating existing vulnerabilities. At the same time, global Ocean protection is advancing, with marine protected areas now covering 8.34 % of the Ocean, but urgent action is still needed to reach common targets. Milestones such as the UN High Seas Treaty, progress on plastic pollution agreements, and a growing focus on equity and Ocean literacy are driving significant momentum towards stronger and more sustainable Ocean governance. Also, the Ocean economy is experiencing significant growth, driven by sectors such as marine aquaculture, offshore wind, and tourism. However, this expansion also brings environmental challenges, with the continued pressure on marine ecosystems from high-demand industries. Small-scale fisheries continue to play a critical role in both global food production and coastal livelihoods but are increasingly vulnerable to climate change and pressures from other Ocean activities.

With the third United Nations Ocean Conference taking place in June, and the ratification of the High-Seas Treaty on the horizon, 2025 stands as a critical juncture for Ocean governance – where multilateral cooperation and concrete actions are more urgent than ever. The 2025 Ocean Starfish Barometer highlights several strategic leverage points to accelerate progress on SDG 14 (UN, 2015), including reducing marine pollution (14.1), protecting ecosystems (14.2), tackling overfishing and destructive practices (14.4), conserving marine areas (14.5), strengthening Ocean science (14.A), supporting small-scale fishers (14.B), and upholding international law (14.C). It also highlights major gaps, such as the lack of an operational global monitoring system for plastic pollution in the Ocean.

These alignments demonstrate the Starfish Barometer's potential to serve not only as a communication tool but also as a monitoring instrument that can contribute to tracking progress toward global Ocean commitments. Beyond its global scope, the Starfish Barometer offers a flexible and adaptable framework – one that can be tailored for use at national or regional levels, integrated into educational programmes or used by institutions and NGOs to support reporting and awareness raising. Its accessible design allows

it to serve multiple purposes, from fostering civic engagement to informing policy dialogue. By connecting people to the Ocean through clear, meaningful insights, the Starfish Barometer seeks to spark reflection, responsibility, and action. It is a reminder that while the Ocean sustains life on Earth, its future – and ours – depends on the decisions we make today.

**Data availability.** No data sets were used in this article.

**Author contributions.** The concept of the Starfish Barometer was developed by ML and PB, with the support of PV. ML provided overall leadership for this work and led the writing of the manuscript with assistance from KvS. All coauthors contributed to content curation and manuscript preparation.

**Competing interests.** The contact author has declared that none of the authors has any competing interests.

**Disclaimer.** Publisher's note: Copernicus Publications remains neutral with regard to jurisdictional claims made in the text, published maps, institutional affiliations, or any other geographical representation in this paper. While Copernicus Publications makes every effort to include appropriate place names, the final responsibility lies with the authors.

**Acknowledgements.** The authors wish to warmly thank the international scientific committee of the One Ocean Science Congress (OOSC, Nice 3–6 June 2025), namely Janine Adams, Diva Amon, Tamatoa Bambridge, Sanae Chiba, Jorge Cortés-Núñez, Carlos Duarte, Stefan Gelcich, Jessica Gephart, Kristina Gjerde, Deborah Greaves, Peter Haugan, François Houllier, Jean-Pierre Gattuso, Daoji Li, Mere Takoko, and Arthur Tuda, for agreeing to oversee the draft of this paper on very short notice. The authors also wish to express their special thanks to Thomas Froelicher and William Cheung, both members of the OOSC scientific committee, who kindly acted as reviewers outside the oversight group to ensure the neutrality and integrity of the review process. Their promptness, availability, and thoughtful comments were particularly appreciated. This paper would not have come to life without the dedication of editor-in-chief Marilaure Grégoire and the entire editorial staff, whose efficiency and commitment made it possible to complete the editorial process. The Starfish Barometer was developed with the support of Olivier Poivre d'Arvor, French Ambassador for the Ocean and the Poles, and the French President's Special Envoy for the United Nations Ocean Conference (UNOC3). Special thanks go to the International Platform for Ocean Sustainability (IPOS), for sowing the first seeds of the concept, and to CNRS, IFREMER, and IRD for their scientific support. Several colleagues contributed to gathering the most up-to-date data, including Pierre Friedlingstein and Robbie Andrew from the Global Carbon Project; Pierre Cariou and Laurent Fedi from Bordeaux Kedge Business School; Kira Coley from the Ocean Census; Kensuke Obara

from the Nippon Foundation; Charles Loiseau from CRIOBE; and Florian Kirchner, Virginie Tsilibaris, and Haizea Jimenez from IUCN. We also thank Laurence Collet for her contribution to the Starfish diagram and Clément Haëck for formatting the article and bibliography.

**Review statement.** This paper was edited by Marilaure Grégoire and reviewed by Thomas Froelicher and William Cheung.

## References

- Andrew, R. M. and Peters, G. P.: The Global Carbon Project's fossil CO<sub>2</sub> emissions dataset (2024v18), CICERO Center for International Climate Research Oslo, Norway, Zenodo [data set], <https://doi.org/10.5281/ZENODO.14106218>, 2024.
- Arneth, A., Leadley, P., Claudet, J., Coll, M., Rondinini, C., Rounsevell, M. D. A., Shin, Y., Alexander, P., and Fuchs, R.: Making protected areas effective for biodiversity, climate and food, *Glob. Chang. Biol.*, 29, 3883–3894, <https://doi.org/10.1111/gcb.16664>, 2023.
- Asche, F., Garlock, T. M., Anderson, J. L., Pincinato, R. B., Anderson, C. M., Camp, E. V., Chu, J., Cojocar, A. L., Egert, H., Lorenzen, K., Love, D. C., and Tveteras, R.: A Review of Global Fisheries Performance, *Fish Fish.*, 26, 444–453, <https://doi.org/10.1111/faf.12890>, 2025.
- Basurto, X., Gutierrez, N. L., Franz, N., Mancha-Cisneros, M. D. M., Gorelli, G., Aguión, A., Funge-Smith, S., Harper, S., Mills, D. J., Nico, G., Tilley, A., Vannuccini, S., Virdin, J., Westlund, L., Allison, E. H., Anderson, C. M., Baio, A., Cinner, J., Fabinyi, M., Hicks, C. C., Kolding, J., Melnychuk, M. C., Ovando, D., Parma, A. M., Robinson, J. P. W., and Thilsted, S. H.: Illuminating the multidimensional contributions of small-scale fisheries, *Nature*, 637, 875–884, <https://doi.org/10.1038/s41586-024-08448-z>, 2025.
- Blasiak, R. and Claudet, J.: Governance of the High Seas, *Annu. Rev. Env. Resour.*, 49, 549–572, <https://doi.org/10.1146/annurev-environ-011023-022521>, 2024.
- Blasiak, R., Jouffray, J.-B., Wabnitz, C. C. C., Sundström, E., and Österblom, H.: Corporate control and global governance of marine genetic resources, *Sci. Adv.*, 4, eaar5237, <https://doi.org/10.1126/sciadv.aar5237>, 2018.
- Blythe, J. L., Gill, D. A., Claudet, J., Bennett, N. J., Gurney, G. G., Baggio, J. A., Ban, N. C., Bernard, M. L., Brun, V., Darling, E. S., Di Franco, A., Epstein, G., Franks, P., Horan, R., Jupiter, S. D., Lau, J., Lazzari, N., Mahajan, S. L., Mangubhai, S., Naggea, J., Turner, R. A., and Zafra-Calvo, N.: Blue justice: A review of emerging scholarship and resistance movements, *Camb. Prisms Coast. Futures*, 1, e15, <https://doi.org/10.1017/cft.2023.4>, 2023.
- Braulik, G. T., Taylor, B. L., Minton, G., Notarbartolo Di Sciarra, G., Collins, T., Rojas-Bracho, L., Crespo, E. A., Ponnampalam, L. S., Double, M. C., and Reeves, R. R.: Red-list status and extinction risk of the world's whales, dolphins, and porpoises, *Conserv. Biol.*, 37, e14090, <https://doi.org/10.1111/cobi.14090>, 2023.
- Breitbart, D., Levin, L. A., Oschlies, A., Grégoire, M., Chavez, F. P., Conley, D. J., Garçon, V., Gilbert, D., Gutiérrez, D., Isensee, K., Jacinto, G. S., Limburg, K. E., Montes, I., Naqvi, S. W. A., Pitcher, G. C., Rabalais, N. N., Roman, M. R., Rose, K. A.,



- Seibel, B. A., Telszewski, M., Yasuhara, M., and Zhang, J.: Declining oxygen in the global ocean and coastal waters, *Science*, 359, eaam7240, <https://doi.org/10.1126/science.aam7240>, 2018.
- CBD: Aichi Biodiversity Targets, CBD, <https://www.cbd.int/sp/targets> (last access: 18 April 2025), 2010.
- CBD: Kunming-Montreal Global Biodiversity Framework, CBD, <https://www.cbd.int/gbf> (last access: 18 April 2025), 2022.
- Chaudhary, C., Richardson, A. J., Schoeman, D. S., and Costello, M. J.: Global warming is causing a more pronounced dip in marine species richness around the equator, *P. Natl. Acad. Sci. USA*, 118, e2015094118, <https://doi.org/10.1073/pnas.2015094118>, 2021.
- Cheng, L., Abraham, J., Trenberth, K. E., Reagan, J., Zhang, H.-M., Storto, A., Von Schuckmann, K., Pan, Y., Zhu, Y., Mann, M. E., Zhu, J., Wang, F., Yu, F., Locarnini, R., Fasullo, J., Huang, B., Graham, G., Yin, X., Gouretski, V., Zheng, F., Li, Y., Zhang, B., Wan, L., Chen, X., Wang, D., Feng, L., Song, X., Liu, Y., Reseghetti, F., Simoncelli, S., Chen, G., Zhang, R., Mishonov, A., Tan, Z., Wei, W., Yuan, H., Li, G., Ren, Q., Cao, L., Lu, Y., Du, J., Lyu, K., Sulaiman, A., Mayer, M., Wang, H., Ma, Z., Bao, S., Yan, H., Liu, Z., Yang, C., Liu, X., Hausfather, Z., Szekely, T., and Gues, F.: Record High Temperatures in the Ocean in 2024, *Adv. Atmos. Sci.*, 42, 1092–1109, <https://doi.org/10.1007/s00376-025-4541-3>, 2025.
- Claudet, J., Bopp, L., Cheung, W. W. L., Devillers, R., Escobar-Briones, E., Haugan, P., Heymans, J. J., Masson-Delmotte, V., Matz-Lück, N., Milosavljević, P., Mullineaux, L., Visbeck, M., Watson, R., Zivian, A. M., Ansorge, I., Araujo, M., Aricò, S., Bailly, D., Barbière, J., Barnerias, C., Bowler, C., Brun, V., Cazenave, A., Diver, C., Euzen, A., Gaye, A. T., Hilmi, N., Ménard, F., Moulin, C., Muñoz, N. P., Parmentier, R., Pebayle, A., Pörtner, H.-O., Osvaldina, S., Ricard, P., Santos, R. S., Sicre, M.-A., Thiébaud, S., Thiele, T., Troublé, R., Turra, A., Uku, J., and Gaill, F.: A Roadmap for Using the UN Decade of Ocean Science for Sustainable Development in Support of Science, Policy, and Action, *One Earth*, 2, 34–42, <https://doi.org/10.1016/j.oneear.2019.10.012>, 2020.
- Claudet, J., Blythe, J., Gill, D. A., Bennett, N. J., Gurney, G. G., Evans, L., Mahajan, S. L., Turner, R. A., Ahmadi, G. N., Ban, N. C., Epstein, G., Jupiter, S. D., Lau, J., Mangubhai, S., Zafra-Calvo, N., Lazzari, N., Baggio, J. A., Bernard, M. L., Brun, V., D'Agata, S., Di Franco, A., Horan, R., and Naggea, J.: Advancing ocean equity at the nexus of development, climate and conservation policy, *Nat. Ecol. Evol.*, 8, 1205–1208, <https://doi.org/10.1038/s41559-024-02417-5>, 2024.
- Cosby, A. G., Lebakula, V., Smith, C. N., Wanik, D. W., Bergene, K., Rose, A. N., Swanson, D., and Bloom, D. E.: Accelerating growth of human coastal populations at the global and continent levels: 2000–2018, *Sci. Rep.*, 14, 22489, <https://doi.org/10.1038/s41598-024-73287-x>, 2024.
- El Moussaoui, N. and Idelhakkar, B.: The Impact of Oil Spills on the Economy and the Environment, *European Journal of Economic and Financial Research*, 7, <https://doi.org/10.46827/ejefr.v7i4.1570>, 2023.
- European Commission: The Commission welcomes the agreement on sustainable fisheries reached at Indian Ocean Tuna Commission, European Commission, [https://ec.europa.eu/commission/presscorner/detail/en/ip\\_24\\_2683](https://ec.europa.eu/commission/presscorner/detail/en/ip_24_2683) (last access: 17 April 2025), 2024.
- European Environment Agency, Reichel, A., Trier, X., Fernandez, R., Bakas, I., and Zeiger, B.: Plastics, the circular economy and Europe's environment: a priority for action, Publications Office of the European Union, <https://doi.org/10.2800/5847>, 2021.
- Fact.MR: Marine-derived Pharmaceuticals Market Outlook (2023 to 2033), Fact.MR, <https://www.factmr.com/report/marine-derived-pharmaceuticals-market> (last access: 17 April 2025), 2023.
- FAO: The State of World Fisheries and Aquaculture 2024, FAO, Rome, 264 pp., <https://doi.org/10.4060/cd0683en>, ISBN 978-92-5-138763-4, 2024.
- FAO, Duke University, and WorldFish: Illuminating Hidden Harvests: The contributions of small-scale fisheries to sustainable development, FAO, Duke University, WorldFish, Rome, 376 pp., <https://doi.org/10.4060/cc4576en>, ISBN 978-92-5-137682-9, 2023.
- Forster, P. M., Smith, C., Walsh, T., Lamb, W. F., Lamboll, R., Hall, B., Hauser, M., Ribes, A., Rosen, D., Gillett, N. P., Palmer, M. D., Rogelj, J., von Schuckmann, K., Trewin, B., Allen, M., Andrew, R., Betts, R. A., Borger, A., Boyer, T., Broersma, J. A., Buontempo, C., Burgess, S., Cagnazzo, C., Cheng, L., Friedlingstein, P., Gettelman, A., Gütschow, J., Ishii, M., Jenkins, S., Lan, X., Morice, C., Mühle, J., Kadow, C., Kennedy, J., Killick, R. E., Krummel, P. B., Minx, J. C., Myhre, G., Naik, V., Peters, G. P., Pirani, A., Pongratz, J., Schleussner, C.-F., Seneviratne, S. I., Szopa, S., Thorne, P., Kovilakam, M. V. M., Majamäki, E., Jalkanen, J.-P., van Marle, M., Hoesly, R. M., Rohde, R., Schumacher, D., van der Werf, G., Vose, R., Zickfeld, K., Zhang, X., Masson-Delmotte, V., and Zhai, P.: Indicators of Global Climate Change 2023: annual update of key indicators of the state of the climate system and human influence, *Earth Syst. Sci. Data*, 16, 2625–2658, <https://doi.org/10.5194/essd-16-2625-2024>, 2024.
- Forster, P. M., Smith, C., Walsh, T., Lamb, W. F., Lamboll, R., Cassou, C., Hauser, M., Hausfather, Z., Lee, J.-Y., Palmer, M. D., von Schuckmann, K., Slangen, A. B. A., Szopa, S., Trewin, B., Yun, J., Gillett, N. P., Jenkins, S., Matthews, H. D., Raghavan, K., Ribes, A., Rogelj, J., Rosen, D., Zhang, X., Allen, M., Aleluia Reis, L., Andrew, R. M., Betts, R. A., Borger, A., Broersma, J. A., Burgess, S. N., Cheng, L., Friedlingstein, P., Domingues, C. M., Garbarini, M., Gasser, T., Gütschow, J., Ishii, M., Kadow, C., Kennedy, J., Killick, R. E., Krummel, P. B., Liné, A., Monselesan, D. P., Morice, C., Mühle, J., Naik, V., Peters, G. P., Pirani, A., Pongratz, J., Minx, J. C., Rigby, M., Rohde, R., Savita, A., Seneviratne, S. I., Thorne, P., Wells, C., Western, L. M., van der Werf, G. R., Wijffels, S. E., Masson-Delmotte, V., and Zhai, P.: Indicators of Global Climate Change 2024: annual update of key indicators of the state of the climate system and human influence, *Earth Syst. Sci. Data Discuss.* [preprint], <https://doi.org/10.5194/essd-2025-250>, in review, 2025.
- Friedlingstein, P., O'Sullivan, M., Jones, M. W., Andrew, R. M., Hauck, J., Landschützer, P., Le Quéré, C., Li, H., Luijckx, I. T., Olsen, A., Peters, G. P., Peters, W., Pongratz, J., Schwingshackl, C., Sitoh, S., Canadell, J. G., Ciais, P., Jackson, R. B., Alin, S. R., Arneeth, A., Arora, V., Bates, N. R., Becker, M., Bellouin, N., Berghoff, C. F., Bittig, H. C., Bopp, L., Cadule, P., Campbell, K., Chamberlain, M. A., Chandra, N., Chevallier, F., Chini, L. P., Colligan, T., Decayeux, J., Djeutchouang, L. M., Dou, X., Duran Rojas, C., Enyo, K., Evans, W., Fay, A. R., Feely, R. A., Ford, D. J., Foster, A., Gasser, T., Gehlen, M., Gkritzalis, T., Grassi, G.,

- Gregor, L., Gruber, N., Gürses, Ö., Harris, I., Hefner, M., Heinke, J., Hurtt, G. C., Iida, Y., Ilyina, T., Jacobson, A. R., Jain, A. K., Jarníková, T., Jersild, A., Jiang, F., Jin, Z., Kato, E., Keeling, R. F., Klein Goldewijk, K., Knauer, J., Korsbakken, J. I., Lan, X., Lauvset, S. K., Lefèvre, N., Liu, Z., Liu, J., Ma, L., Maksyutov, S., Marland, G., Mayot, N., McGuire, P. C., Metzl, N., Monacci, N. M., Morgan, E. J., Nakaoka, S.-I., Neill, C., Niwa, Y., Nützel, T., Olivier, L., Ono, T., Palmer, P. I., Pierrot, D., Qin, Z., Resplandy, L., Roobaert, A., Rosan, T. M., Rödenbeck, C., Schwinger, J., Smallman, T. L., Smith, S. M., Sospedra-Alfonso, R., Steinhoff, T., Sun, Q., Sutton, A. J., Séférián, R., Takao, S., Tatebe, H., Tian, H., Tilbrook, B., Torres, O., Tourigny, E., Tsujino, H., Tubiello, F., van der Werf, G., Wanninkhof, R., Wang, X., Yang, D., Yang, X., Yu, Z., Yuan, W., Yue, X., Zaehle, S., Zeng, N., and Zeng, J.: Global Carbon Budget 2024, *Earth Syst. Sci. Data*, 17, 965–1039, <https://doi.org/10.5194/essd-17-965-2025>, 2025.
- Galgani, F., Lusher, A. L., Strand, J., Haarr, M. L., Vinci, M., Molina Jack, E., Kagi, R., Aliani, S., Herzke, D., Nikiforov, V., Primpke, S., Schmidt, N., Fabres, J., De Witte, B., Solbakken, V. S., and van Bavel, B.: Revisiting the strategy for marine litter monitoring within the European marine strategy framework directive (MSFD), *Ocean Coast. Manage.*, 255, 107254, <https://doi.org/10.1016/j.ocecoaman.2024.107254>, 2024.
- Garlock, T. M., Asche, F., Anderson, J. L., Eggert, H., Anderson, T. M., Che, B., Chávez, C. A., Chu, J., Chukwuone, N., Dey, M. M., Fitzsimmons, K., Flores, J., Guillen, J., Kumar, G., Liu, L., Llorente, I., Nguyen, L., Nielsen, R., Pincinato, R. B. M., Sudhakaran, P. O., Tibesigwa, B., and Tveteras, R.: Environmental, economic, and social sustainability in aquaculture: the aquaculture performance indicators, *Nat. Commun.*, 15, 5274, <https://doi.org/10.1038/s41467-024-49556-8>, 2024.
- Global Fishing Watch: New research harnesses AI and satellite imagery to reveal the expanding footprint of human activity at sea, Global Fishing Watch, <https://globalfishingwatch.org/press-release/new-research-harnesses-ai-and-satellite-imagery-to-reveal-the-expanding-footprint-of-human-activity-at-sea/> (last access: 17 April 2025), 2024.
- Global Mangrove Alliance: The State of the World's Mangroves 2024, Global Mangrove Alliance, <https://doi.org/10.5479/10088/119867>, 2024.
- Guinaldo, T., Cassou, C., Sallée, J.-B., and Liné, A.: Internal variability effect doped by climate change drove the 2023 marine heat extreme in the North Atlantic, *Commun. Earth Environ.*, 6, 291, <https://doi.org/10.1038/s43247-025-02197-1>, 2025.
- Gutierrez, N. L., Funge-Smith, S., Gorelli, G., Mancha-Cisneros, M. M., Defeo, O., Johnson, A. F., and Melnychuk, M. C.: Production and environmental interactions of small-scale fisheries, in: *Illuminating Hidden Harvests: The contributions of small-scale fisheries to sustainable development*, FAO, Duke University, WorldFish, Rome, <https://doi.org/10.4060/cc4576en>, ISBN 978-92-5-137682-9, 2023.
- Halpern, B. S., Longo, C., Hardy, D., McLeod, K. L., Samhouri, J. F., Katona, S. K., Kleisner, K., Lester, S. E., O'Leary, J., Ranelletti, M., Rosenberg, A. A., Scarborough, C., Selig, E. R., Best, B. D., Brumbaugh, D. R., Chapin, F. S., Crowder, L. B., Daly, K. L., Doney, S. C., Elfes, C., Fogarty, M. J., Gaines, S. D., Jacobsen, K. I., Karrer, L. B., Leslie, H. M., Neeley, E., Pauly, D., Polasky, S., Ris, B., Martin, K. S., Stone, G. S., Sumaila, U. R., and Zeller, D.: An index to assess the health and benefits of the global ocean, *Nature*, 488, 615–620, <https://doi.org/10.1038/nature11397>, 2012.
- Halpern, B. S., Frazier, M., Afflerbach, J., O'Hara, C., Katona, S., Lowndes, J. S. S., Jiang, N., Pacheco, E., Scarborough, C., and Polsenberg, J.: Drivers and implications of change in global ocean health over the past five years, *PLoS ONE*, 12, e0178267, <https://doi.org/10.1371/journal.pone.0178267>, 2017.
- Harris, P. T., Maes, T., Raubenheimer, K., and Walsh, J. P.: A marine plastic cloud – Global mass balance assessment of oceanic plastic pollution, *Cont. Shelf Res.*, 255, 104947, <https://doi.org/10.1016/j.csr.2023.104947>, 2023.
- High Seas Alliance: High Seas Treaty Ratification Tracker, High Seas Alliance, <https://highseasalliance.org/treaty-ratification/> (last access: 17 April 2025), 2025.
- Hoegh-Guldberg, O., Skirving, W., Dove, S., Spady, B., Norrie, A., Geiger, E., Liu, G., De La Cour, J., and Manzello, D.: Coral reefs in peril in a record-breaking year, *Science*, 382, 1238–1240, <https://doi.org/10.1126/science.adk4532>, 2023.
- IMO: 2023 IMO Strategy on Reduction of GHG Emissions from Ships – Annex 15, RESOLUTION MEPC.377(80), IMO, <https://www.wcdn.imo.org/localresources/en/OurWork/Environment/Documents/annex/MEPC%2080/Annex%2015.pdf> (last access: 18 April 2025), 2023.
- IOC-UNESCO: State of the Ocean Report, Paris, UNESCO-IOC, IOC Technical Series, 190, <https://doi.org/10.25607/4WBG-D349>, 2024.
- IOM: Missing Migrants Project: Data, IOM, <https://missingmigrants.iom.int/data> (last access: 17 April 2025), 2025.
- IPBES: Summary for policymakers of the global assessment report on biodiversity and ecosystem services of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services, edited by: Díaz, S., Settele, J., Brondízio, E. S., Ngo, H. T., Guèze, M., Agard, J., Arneth, A., Balvanera, P., Brauman, K. A., Butchart, S. H. M., Chan, K. M. A., Garibaldi, L. A., Ichii, K., Liu, J., Subramanian, S. M., Midgley, G. F., Miloslavich, P., Molnár, Z., Obura, D., Pfaff, A., Polasky, S., Purvis, A., Razaque, J., Reyers, B., Roy Chowdhury, R., Shin, Y. J., Visseren-Hamakers, I. J., Willis, K. J., and Zayas, C. N., IPBES secretariat, Bonn, Germany, Zenodo, <https://doi.org/10.5281/ZENODO.3553579>, 56 pp., ISBN 978-3-947851-13-3, 2019.
- IPCC: IPCC Special Report on the Ocean and Cryosphere in a Changing Climate, edited by: Pörtner, H.-O., Roberts, D. C., Masson-Delmotte, V., Zhai, P., Tignor, M., Poloczanska, E., Mintenbeck, K., Alegria, A., Nicolai, M., Okem, A., Petzold, J., Rama, B., and Weyer, N. M., Cambridge University Press, Cambridge, UK and New York, NY, USA, 755 pp., <https://doi.org/10.1017/9781009157964>, ISBN 978-1-00-915796-4, 2019.
- IPCC: Summary for Policymakers, in: *Climate Change 2021: The Physical Science Basis. Working Group I Contribution to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*, Cambridge University Press, Cambridge, 3–32, <https://doi.org/10.1017/9781009157896.001>, 2021.
- IPOS: The global deep sea consultation, IPOS, <https://ipos.earth/global-deep-sea-consultation-pilot-project> (last access: 8 May 2025), 2025.
- ITLOS: International Tribunal for the Law of the Sea: Request for an advisory opinion submitted by the commission of small island

- states on climate change and international law, Advisory opinion, ITLOS, [https://www.itlos.org/fileadmin/itlos/documents/cases/31/Advisory\\_Opinion/C31\\_Adv\\_Op\\_21.05.2024\\_orig.pdf](https://www.itlos.org/fileadmin/itlos/documents/cases/31/Advisory_Opinion/C31_Adv_Op_21.05.2024_orig.pdf) (last access: 8 May 2025), 2024.
- IUCN: Red List of Mangrove Ecosystems, IUCN, <https://iucn.org/resources/conservation-tool/iucn-red-list-ecosystems/red-list-mangrove-ecosystems> (last access: 8 May 2025), 2024.
- IUCN: The IUCN Red List of Threatened Species, IUCN, <https://www.iucnredlist.org/en> (last access: 17 April 2025), 2025.
- IUMI: IUMI Stats Report 2024, International Union of Marine Insurance, Germany, 40 pp., <https://iumi.com/statistics/iumi-stats-report-2024/> (last access: 17 April 2025), 2024.
- Jabado, R., Morata, A., Bennett, R., Finucci, B., Ellis, J., Fowler, S., Grant, M., Barbosa Martins, A., and Sinclair, S. (Eds.): The Global Status of Sharks, Rays, and Chimaeras, IUCN, Gland, Switzerland, <https://doi.org/10.59216/ssg.gsrsrc.2024>, 2024.
- Jing, R., Heft-Neal, S., Chavas, D. R., Griswold, M., Wang, Z., Clark-Ginsberg, A., Guha-Sapir, D., Bendavid, E., and Wagner, Z.: Global population profile of tropical cyclone exposure from 2002 to 2019, *Nature*, 626, 549–554, <https://doi.org/10.1038/s41586-023-06963-z>, 2024.
- Jouffray, J.-B., Blasiak, R., Norström, A. V., Österblom, H., and Nyström, M.: The Blue Acceleration: The Trajectory of Human Expansion into the Ocean, *One Earth*, 2, 43–54, <https://doi.org/10.1016/j.oneear.2019.12.016>, 2020.
- Knapp, S. and Heij, C.: Evaluation of total risk exposure and insurance premiums in the maritime industry, *Transport. Res. D-Tr. E.*, 54, 321–334, <https://doi.org/10.1016/j.trd.2017.06.001>, 2017.
- Kron, W., Eichner, J., and Kundzewicz, Z. W.: Reduction of flood risk in Europe – Reflections from a reinsurance perspective, *J. Hydrol.*, 576, 197–209, <https://doi.org/10.1016/j.jhydrol.2019.06.050>, 2019.
- Krusberg, T., Schildt, L., Jouffray, J.-B., Zhivkopoulos, E., and Blasiak, R.: A review of marine genetic resource valuations, *npj Ocean Sustain.*, 3, 46, <https://doi.org/10.1038/s44183-024-00081-7>, 2024.
- Laiolo, E., Alam, I., Uludag, M., Jamil, T., Agusti, S., Gojobori, T., Acinas, S. G., Gasol, J. M., and Duarte, C. M.: Metagenomic probing toward an atlas of the taxonomic and metabolic foundations of the global ocean genome, *Front. Sci.*, 1, 1038696, <https://doi.org/10.3389/fsci.2023.1038696>, 2024.
- Landrigan, P. J., Raps, H., Cropper, M., Bald, C., Brunner, M., Canonizado, E. M., Charles, D., Chiles, T. C., Donohue, M. J., Enck, J., Fenichel, P., Fleming, L. E., Ferrier-Pages, C., Fordham, R., Gozt, A., Griffin, C., Hahn, M. E., Haryanto, B., Hixson, R., Ianelli, H., James, B. D., Kumar, P., Laborde, A., Law, K. L., Martin, K., Mu, J., Mulders, Y., Mustapha, A., Niu, J., Pahl, S., Park, Y., Pedrotti, M.-L., Pitt, J. A., Ruchirawat, M., Seewoo, B. J., Spring, M., Stegeman, J. J., Suk, W., Symeonides, C., Takada, H., Thompson, R. C., Vicini, A., Wang, Z., Whitman, E., Wirth, D., Wolff, M., Yousuf, A. K., and Dunlop, S.: The Minderoo-Monaco Commission on Plastics and Human Health, *Ann. Glob. Health*, 89, 23, <https://doi.org/10.5334/aogh.4056>, 2023.
- Lindequist, U.: Marine-Derived Pharmaceuticals – Challenges and Opportunities, *Biomol. Ther.*, 24, 561–571, <https://doi.org/10.4062/biomolther.2016.181>, 2016.
- Losciale, R., Day, J. C., Rasheed, M. A., and Heron, S. F.: The vulnerability of World Heritage seagrass habitats to climate change, *Glob. Change Biol.*, 30, e17113, <https://doi.org/10.1111/gcb.17113>, 2024.
- Lubchenco, J. and Grorud-Colvert, K.: Making waves: The science and politics of ocean protection, *Science*, 350, 382–383, <https://doi.org/10.1126/science.aad5443>, 2015.
- McLeman, R., Hevesi, C., and Cadham, E.: Evolution of climate-related migration and displacement in IPCC reporting, Working paper, Department of Geography & Environmental Studies, Wilfrid Laurier University, Environmental Science Research Network, <https://doi.org/10.2139/ssrn.5166785>, 5 March 2025.
- Minière, A., Von Schuckmann, K., Sallée, J.-B., and Vogt, L.: Robust acceleration of Earth system heating observed over the past six decades, *Sci. Rep.*, 13, 22975, <https://doi.org/10.1038/s41598-023-49353-1>, 2023.
- Munich RE: Flood risks on the rise: Greater loss prevention is needed, Munich RE, <https://www.munichre.com/en/risks/natural-disasters/floods.html> (last access: 17 April 2025), 2025a.
- Munich RE: Hurricanes, typhoons, cyclones: Tropical storms – The natural hazard with the highest losses, Munich RE, <https://www.munichre.com/en/risks/natural-disasters/hurricanes.html> (last access: 17 April 2025), 2025b.
- Nawarat, K., Reyns, J., Vousedoukas, M. I., Duong, T. M., Kras, E., and Ranasinghe, R.: Coastal hardening and what it means for the world's sandy beaches, *Nat. Commun.*, 15, 10626, <https://doi.org/10.1038/s41467-024-54952-1>, 2024.
- Ndaliman, H. A. and Yukaka, Abubakar.: The Drivers of African Migrants to Europe and the Mediterranean Sea Death Trap, *International Journal of Intellectual Discourse*, 7, 291–299, 2024.
- NOAA: NOAA confirms 4th global coral bleaching event, NOAA, <https://www.noaa.gov/news-release/noaa-confirms-4th-global-coral-bleaching-event> (last access: 17 April 2025), 2024.
- Nordhaus, W.: The Economics of Hurricanes in the United States, National Bureau of Economic Research, Cambridge, MA, <https://doi.org/10.3386/w12813>, 2006.
- Ocean Census: The Ocean Census Discovers Over 800 New Marine Species, Ocean Census, <https://oceanconsensus.org/publications/press-release-the-ocean-consensus-discovers-over-800-new-marine-species/> (last access: 17 April 2025), 2025.
- Ocean Literacy World Conference: Venice Declaration for Ocean Literacy in Action, Ocean Literacy World Conference, 7–8 June 2024, Venice, Italy, <https://www.marine-ed.org/news/venice-declaration-for-ocean-literacy-in-action> (last access: 17 April 2025), 2024.
- OECD: The Ocean Economy to 2050, OECD Publishing, Paris, <https://doi.org/10.1787/a9096fb1-en>, 2025.
- Oschlies, A.: A committed fourfold increase in ocean oxygen loss, *Nat. Commun.*, 12, 2307, <https://doi.org/10.1038/s41467-021-22584-4>, 2021.
- Österblom, H., Wabnitz, C. C. C., Tladi, D., Allison, E. H., Arnaud-Haond, S., Bebbington, J., Bennett, N., Blasiak, R., Boonstra, W., Choudhury, A., Cisneros-Montemayor, A., Daw, T., Fabinyi, M., Franz, N., Harden-Davies, H., Kleiber, D., Lopes, P., McDougall, C., Resosudarmo, B. P., and Selim, S. A.: Towards Ocean Equity, in: *The Blue Compendium: From Knowledge to Action for a Sustainable Ocean Economy*, edited by: Lubchenco, J. and Haugan, P. M., Springer International Publishing, Cham, 485–521, [https://doi.org/10.1007/978-3-031-16277-0\\_13](https://doi.org/10.1007/978-3-031-16277-0_13), 2023.

- Pan, Y., Minière, A., von Schuckmann, K., Li, Z., Li, Y., Cheng, L., and Zhu, J.: Ocean heat content in 2024, *Nat. Rev. Earth Environ.*, 6, 249–251, <https://doi.org/10.1038/s43017-025-00655-0>, 2025.
- Paolo, F. S., Kroodsmas, D., Raynor, J., Hochberg, T., Davis, P., Cleary, J., Marsaglia, L., Orofino, S., Thomas, C., and Halpin, P.: Satellite mapping reveals extensive industrial activity at sea, *Nature*, 625, 85–91, <https://doi.org/10.1038/s41586-023-06825-8>, 2024.
- Pike, E. P., MacCarthy, J. M. C., Hameed, S. O., Harasta, N., Grorud-Colvert, K., Sullivan-Stack, J., Claudet, J., Horta E Costa, B., Gonçalves, E. J., Villagomez, A., and Morgan, L.: Ocean protection quality is lagging behind quantity: Applying a scientific framework to assess real marine protected area progress against the 30 by 30 target, *Conserv. Lett.*, 17, e13020, <https://doi.org/10.1111/conl.13020>, 2024.
- Plastics Europe: Plastics – the fast Facts 2024, Plastics Europe, <https://plasticseurope.org/knowledge-hub/plastics-the-fast-facts-2024/> (last access: 17 April 2025), 2024.
- Precedence Research: Marine Oligosaccharides Market Size, Share and Trends 2025 to 2034, Precedence Research, <https://www.precedenceresearch.com/marine-oligosaccharides-market> (last access: 17 April 2025), 2025.
- Protected Planet: Protected Planet Report, Protected Planet, <https://pp-digital-report-files.s3.us-east-1.amazonaws.com/Protected+Planet+Report+2024.pdf> (last access: 20 May 2025), 2024.
- Protected Planet: Marine Protected Areas, Protected Planet, <https://www.protectedplanet.net/en/thematic-areas/marine-protected-areas> (last access: 17 April 2025), 2025.
- Ren, C.-G., Zhong, Z.-H., Liu, Z.-Y., Lin, S., Luo, Y.-K., and Qin, S.: The ever-lasting green tides: What can we do?, *Heliyon*, 10, e25220, <https://doi.org/10.1016/j.heliyon.2024.e25220>, 2024.
- Santos, R. G., Machovsky-Capuska, G. E., and Andrades, R.: Plastic ingestion as an evolutionary trap: Toward a holistic understanding, *Science*, 373, 56–60, <https://doi.org/10.1126/science.abh0945>, 2021.
- Shellock, R. J., Fullbrook, L., McKinley, E., Cvitanovic, C., Kelly, R., and Martin, V.: The nature and use of Ocean Literacy in achieving sustainable ocean futures: A Systematic Map, *Ocean Coast. Manage.*, 257, 107325, <https://doi.org/10.1016/j.ocecoaman.2024.107325>, 2024.
- Sigwart, J. D., Blasiak, R., Jaspars, M., Jouffray, J.-B., and Tasdemir, D.: Unlocking the potential of marine biodiscovery, *Nat. Prod. Rep.*, 38, 1235–1242, <https://doi.org/10.1039/D0NP00067A>, 2021.
- Storto, A. and Yang, C.: Acceleration of the ocean warming from 1961 to 2022 unveiled by large-ensemble reanalyses, *Nat. Commun.*, 15, 545, <https://doi.org/10.1038/s41467-024-44749-7>, 2024.
- Strand, M., Retter, G.-B., Khan, M., Frid, A., Hudson, M., Leonard, K., Paul, K., Baron-Aguilar, C., Boswell, R., Cisneros-Montemayor, A., Copenhagen, A. E., Costa, Y., Hiwasaki, L., Jingwas Russ Jones, N., Kelly, B. P., Kosgei, J., Metcalf, V. K., Moshani, A., Yaa Oduro, G., Scott, C. P., and Rakotondrazafy, V.: Co-producing Sustainable Ocean Plans with Indigenous and traditional knowledge holders, World Resources Institute, Washington DC, <https://doi.org/10.69902/8f1075e8>, 2024.
- Terhaar, J., Burger, F. A., Vogt, L., Frölicher, T. L., and Stocker, T. F.: Record sea surface temperature jump in 2023–2024 unlikely but not unexpected, *Nature*, 639, 942–946, <https://doi.org/10.1038/s41586-025-08674-z>, 2025.
- UN: 2030 Agenda for Sustainable Development, UN, <https://sdgs.un.org/2030agenda> (last access: 18 April 2025), 2015.
- UNEP: From Pollution to Solution: A global assessment of marine litter and plastic pollution, United Nations Environment Programme, Nairobi, <https://www.unep.org/resources/pollution-solution-global-assessment-marine-litter-and-plastic-pollution> (last access: 17 April 2025), 2021.
- UNEP-WCMC and IUCN: Protected Planet Report 2024, UNEP-WCMC and IUCN, Cambridge, United Kingdom, Gland, Switzerland, <https://digitalreport.protectedplanet.net/> (last access: 17 April 2025), 2024.
- Viridin, J., Nico, G., Franz, N., Vannuccini, S., Anderson, C., Mancha-Cisneros, M. M., Baio, A., Bennet, A., Fontenele, E., Gozzer Wuest, R., Grillo, J., Harper, S., Muhonda, P., Rice, E., and Sueiro, J. C.: Small-Scale Fisheries Contributions to Economic Value and Livelihoods, in: *Illuminating Hidden Harvests: The contributions of small-scale fisheries to sustainable development*, FAO, Duke University, WorldFish, Rome, <https://doi.org/10.4060/cc4576en>, ISBN 978-92-5-137682-9, 2023.
- von Schuckmann, K., Minière, A., Gues, F., Cuesta-Valero, F. J., Kirchengast, G., Adusumilli, S., Straneo, F., Ablain, M., Allan, R. P., Barker, P. M., Beltrami, H., Blazquez, A., Boyer, T., Cheng, L., Church, J., Desbruyeres, D., Dolman, H., Domingues, C. M., García-García, A., Giglio, D., Gilson, J. E., Gorfer, M., Haimberger, L., Hakuba, M. Z., Hendricks, S., Hosoda, S., Johnson, G. C., Killick, R., King, B., Kolodziejczyk, N., Korosov, A., Krinner, G., Kuusela, M., Landerer, F. W., Langer, M., Laverigne, T., Lawrence, I., Li, Y., Lyman, J., Marti, F., Marzeion, B., Mayer, M., MacDougall, A. H., McDougall, T., Monselesan, D. P., Nitzbon, J., Otosaka, I., Peng, J., Purkey, S., Roemmich, D., Sato, K., Sato, K., Savita, A., Schweiger, A., Shepherd, A., Seneviratne, S. I., Simons, L., Slater, D. A., Slater, T., Steiner, A. K., Suga, T., Szekely, T., Thiery, W., Timmermans, M.-L., Vanderkelen, I., Wjiffels, S. E., Wu, T., and Zemp, M.: Heat stored in the Earth system 1960–2020: where does the energy go?, *Earth Syst. Sci. Data*, 15, 1675–1709, <https://doi.org/10.5194/essd-15-1675-2023>, 2023.
- von Schuckmann, K., Moreira, L., Cancet, M., Gues, F., Autret, E., Baker, J., Bricaud, C., Bourdalle-Badie, R., Castrillo, L., Cheng, L., Chevallier, F., Ciani, D., de Pascual-Collar, A., De Toma, V., Drevillon, M., Fanelli, C., Garric, G., Gehlen, M., Giesen, R., Hodges, K., Iovino, D., Jandt-Scheelke, S., Jansen, E., Juza, M., Karagali, I., Laverigne, T., Masina, S., McAdam, R., Minière, A., Morrison, H., Panteleit, T. R., Pisano, A., Pujol, M.-I., Stoffelen, A., Thual, S., Van Gennip, S., Veillard, P., Yang, C., and Zuo, H.: The state of the global ocean, in: 8th edition of the *Copernicus Ocean State Report (OSR8)*, edited by: von Schuckmann, K., Moreira, L., Grégoire, M., Marcos, M., Staneva, J., Brasseur, P., Garric, G., Lionello, P., Karstensen, J., and Neukermans, G., Copernicus Publications, State Planet, 4-osr8, 1, <https://doi.org/10.5194/sp-4-osr8-1-2024>, 2024.
- WMO: State of the Global Climate 2024, WMO-No. 1368, 42 pp., ISBN 978-92-63-11368-5, <https://library.wmo.int/idurl/4/69455> (last access: 18 April 2025), 2025.