Merging and serving Ocean Observations: a description of Marine Data Aggregators

Antonio Novellino¹, Pierre-Yves Le Traon², Andy Moore³

- ¹ ETT SpA, Genoa, Italy
- Mercator Ocean International, Toulouse, France
 - Physical & Biological Sciences Division, Ocean Sciences Department Institute of Marine Sciences, Institute of Marine Sciences, University of California Santa Cruz, Santa Cruz, California, USA

Correspondence to: Antonio Novellino (antonio.novellino@dedagroup.it)

Abstract. Observations are a fundamental component of ocean predictions: they are critical not only for monitoring the state, of the ocean but also for improving forecasting systems and validating model outputs. In this context, it is essential to effectively access, manage, and integrate such information into the ocean value chain. Data providers play a pivotal role in collecting, processing, and analysing these observations, delivering comprehensive datasets that support informed decision, making and enable forecasters to enhance ocean models. This paper discusses several examples of data services, including the Copernicus Marine In-Situ Thematic Assembly Centre (Copernicus Marine INS TAC), the European Marine Observation and Data Network (EMODnet), and SeaDataNet, all of which are recognized as key players in the monitoring and management of marine resources. Additionally, the paper provides an outlook on future directions for ocean data integration, emphasizing the opportunities offered by the standardization of data dissemination protocols and the role of cost-effective, citizen-based data collection.

1 Introduction

The importance of ocean observation in met-ocean forecasting is emphasized, as it provides crucial data for understanding oceanic <u>behaviour</u> and coastal areas. The integration of parameters like temperature, salinity, currents, and atmospheric conditions enhances model accuracy, crucial for effective management of human impacts and resource exploitation. The complex ocean data collection framework involves numerous in situ platforms (Figure 1), remote sensors, and types of data, necessitating the provision of multidisciplinary, aggregated datasets (Belbéoch et al., 2022).

ha formattato: Inglese americano ha eliminato: 3Physical ha formattato: Inglese americano ha eliminato: [REMOVE THIS HEADER BEFORE THE Actions on this paper:[1] ha eliminato: element in ha eliminato: crucial ha eliminato: ocean ha eliminato: ha eliminato: the ha eliminato: validate the ha eliminato: Thus, in ha eliminato: framework ha eliminato: crucial ha eliminato: adequately ha eliminato: in ha eliminato: : data ha eliminato: are ha eliminato: charge of ha eliminato: analyzing such ha eliminato: can be used for ha eliminato: ha eliminato: by ha eliminato: improve ha eliminato: In this ha eliminato: ha eliminato: are discussed - from ha eliminato: Center to ha eliminato: to ha eliminato: ha eliminato: framework of ha eliminato: the ha eliminato: resource. It gives finally ha eliminato: ways forward in ha eliminato: in particular on ha eliminato: protocols for their ha eliminato: and ha eliminato: behavior ha eliminato:




Figure 1: In-situ platforms for ocean data collection (from https://marine.copernicus.eu/explainers/operational-oceanography/monitoring-forecasting/in-situ)

85

Marine data <u>aggregators</u>, <u>also referred as</u> integrators, play a pivotal role in managing, integrating, and advancing the understanding of marine environments. They collect, process, and <u>analyse</u> diverse data types to create comprehensive datasets, contributing to informed decision-making in areas such as fisheries management, offshore energy development, <u>marine</u> conservation, <u>etc (see e.g., Novellino et al., 2024)</u>. Additionally, these <u>aggregators</u> support the development of technologies for monitoring the marine environment, continually refining data collection processes to enhance accuracy.

Over the past three decades, progress in marine data management has been marked by the establishment of international programs and networks, such as the International Oceanographic Data and Information Exchange (IODE), the Global Ocean Observing System (GOOS), the IOC Ocean Data and Information System (ODIS). These initiatives, including the World Ocean Database, involve collaborative efforts globally, led by organizations like the Intergovernmental Oceanographic Commission (IOC), the World Meteorological Organization (WMO), the Environment Program of the United Nations (UNEP), the International Council for the Exploration of the Sea (ICES), etc.

Under the GOOS framework (Figure 2), the Observation Coordination Group (OCG), supported by OceanOPS (the GOOS insitu Ocean Observations Programme Support Centre) and GOOS Regional Alliances (GRAs), coordinates the GOOS observing networks to provide ocean observing information (Moltmann et al., 2019). GRAs integrate national monitoring

ha spostato (inserimento) [1]

ha eliminato: analyze

ha eliminato: and

ha eliminato:

ha eliminato: integrators

ha eliminato:) and

ha eliminato:) and

ha eliminato:).

ha eliminato: Global Ocean Observing System (

ha eliminato:)

ha eliminato: , coordinated efforts

(ha eliminato:) contribute

ha eliminato: the provision of

needs into a regional system, facilitating data assembly and exchange (Corredor, 2018). Data Assembly Centres (DACs) and Global DACs (GDACs) play a critical role in this process by receiving, quality controlling, and assembling data from various sources. They act as primary access points for this information, adhering to a common data format (netCDF).




Figure 2: GOOS framework (from https://goosocean.org/)

120

Despite these efforts, GOOS networks and data represent only a subset of the overall ocean data framework. While progress has been made in modernizing the WMO data exchange system—transitioning from the Global Telecommunication System (GTS) to WIS 2.0—by leveraging new web technologies and existing DAC/GDAC infrastructures, full data integration between OCG networks and national/regional initiatives has yet to be achieved.

In this intricate and dispersed framework, integration services play a crucial role in harmonizing metadata, applying standardized data quality checks, and facilitating the integration of diverse datasets and models. GOOS networks, guided by the OCG data strategy (O'Brien et al., 2024), are establishing global data nodes that progressively enhance overall data delivery while maintaining "GOOS quality" within the broader ocean data lake. Furthermore, the adoption of unified controlled vocabularies, common data models, and standardized transport formats ensures the seamless integration of real-time, near real-time (NRT), and delayed mode (DM) observations into numerical models.

At the international level, various marine data integrators exist and Table 1 lists the most active. Some lead the way in adopting new standards and tools, while others take a more following approach. Europe, along with the US and Australia, is at the


ha eliminato: Centers

ha eliminato: key
ha eliminato:
ha eliminato: the
ha eliminato: point of
ha eliminato: according
ha eliminato: .

ha eliminato: by

ha eliminato:

ha eliminato: The following section describes the European marine data integration landscape which is characterized by three prominent initiatives: the Copernicus Marine Service, the European Marine Observation and Data network and the SeaDataNet network of the National Oceanographic Data Centers associated with the International Oceanographic Commission (IOC).



ha eliminato:

150 forefront of introducing new tools and standards. The following section outlines the European marine data integration landscape, which is shaped by three key initiatives: the Copernicus Marine Service (specifically, the In-Situ Thematic Assembly Centre), the European Marine Observation and Data Network (with a focus on physics), and the SeaDataNet network of National Oceanographic Data Centres, affiliated with the International Oceanographic Commission.

155 Table 1: International Marine Data Integrators (alphabetical order).

Region	Name	Description	<u>link</u>
Africa	ODINAfrica (Ocean Data and	Marine data collection, capacity building, and	ODINAfrica
	Information Network for Africa)	information sharing across Africa.	
Arctic Ocean	SAON (Sustaining Arctic	Enhances and coordinates monitoring efforts in the	SAON
	Observing Networks)	Arctic region.	
<u>Australia</u>	IMOS (Integrated Marine	Australia's national ocean observing system,	<u>IMOS</u>
	Observing System)	providing open-access marine data.	
<u>India</u>	INCOIS (Indian National Centre	Provides oceanographic data, forecasts, and early	INCOIS
	for Ocean Information Services)	warnings.	
<u>Japan</u>	JAMSTEC (Japan Agency for	Conducts deep-sea research, ocean observations,	<u>JAMSTEC</u>
	Marine-Earth Science and	and marine forecasting.	
	<u>Technology</u>)		
South	REMARCO (Red de Monitoreo	Latin American and Caribbean initiative for	REMARCO
<u>America</u>	de la Calidad Ambiental en	coastal and marine environmental monitoring.	
	Ecosistemas Costeros y		
	Marinos)		
Southern	SOOS (Southern Ocean	A network for sustained ocean observations in the	SOOS
Ocean	Observing System)	Southern Ocean.	
United	UK-IMON (UK Integrated	The UK's coordinated ocean and coastal observing	<u>UK-IMON</u>
<u>Kingdom</u>	Marine Observing Network)	system, supporting climate monitoring, marine	
		safety, and biodiversity research.	
<u>United States</u>	IOOS (Integrated Ocean	U.S. national ocean observation network providing	<u>IOOS</u>
(IOOS)	Observing System)	real-time and long-term data.	

2 European Marine Data Integrators

To exemplify the importance of data integrators, a few relevant examples from Europe are presented.

ha spostato in alto [1]: Figure 1: In-situ platforms for ocean

data collection (from https://marine.copernicus.eu/explainers/operational-oceanography/monitoring-forecasting/in-situ)¶

Copernicus Marine In-Situ Thematic Assembly Centre (Copernicus Marine INS TAC)

Within this programme, the Copernicus INS TAC is a distributed service integrating data from different sources for operational needs in oceanography. The Copernicus INS TAC integrates and quality controls in a homogeneous manner in situ data from data providers in order to fit the needs of internal and external users. It provides access to integrated datasets of core parameters for initialization, assimilation into and validation of ocean numerical models, which are used for forecasting, analysis and reanalysis of ocean physical and biogeochemical conditions. Since the primary objective of Copernicus Marine is to forecast ocean state, the initial focus has been on observations from autonomous observatories at sea (e.g. floats, buoys, gliders, ferryboxes, drifters, and ships of opportunity). The second objective is to set up a system for re-analysis purposes that requires products integrated over the past 25 to 60 years. The Copernicus Marine INS TAC comprises a global in-situ centre and 6 regional in-situ centres, one for each EuroGOOS Regional Ocean Observing System (ROOS). The INS TAC has been designed to fulfil the Copernicus Marine Core Service needs and the EuroGOOS ROOS needs. The focus is on essential ocean variables (EOVs) that are presently necessary for Copernicus Monitoring and Forecasting Centres, namely temperature, salinity, sea level, current, waves, chlorophyll / fluorescence, oxygen and nutrients. Additional atmospheric parameters (such as wind, air temperature, air pressure, etc.) are added by some ROOSes to these regional in-situ portals to fulfil additional downstream applications needs.

For near-real-time and delayed mode products, the Copernicus Marine In-Situ Thematic Assembly Centre, is connected to the GOOS global networks and each Regional Ocean Observing System (ROOS) of EuroGOOS. In the case of DM products, it is also connected to the SeaDataNet Network, which comprises National Oceanographic Data Centres (NODCs). The Copernicus INS TAC integrates data from various observation programs, including Argo, OceanGliders, Data Buoy Cooperation Panel (DBCP), OceanSITES, and ship data obtained via NODCs, leveraging the GOOS networks observations. Whenever possible, the Copernicus INS TAC adheres to the standards developed within the SeaDataNet framework.

European Marine Observation and Data Network (EMODnet)

The European Marine Observation and Data Network (EMODnet) is the EU infrastructure for in situ marine data. The goal of EMODnet is to provide access to a wide range of standardized and harmonized marine data, making it easier for researchers, policymakers, and the public to access and use marine information. EMODnet focuses on various thematic areas, including bathymetry, geology, physics, chemistry, biology, and human activities in the marine environment (Shepherd, 2018). By pooling and harmonizing data from various sources, EMODnet aims to create a comprehensive and easily accessible marine data infrastructure that supports a wide range of marine and maritime activities (Schaap et al, 2022).

EMODnet Physics (https://emodnet.ec.europa.eu/en/physics, Figure 3) is the domain-specific project (Miguez et al., 2019) that provides in situ ocean physics data and data products built with common standards, free of charge, and without restrictions.

These services encompass a wide range of parameters, including temperature, salinity, current profiles, sea level trends, wave height and period, wind speed and direction, water turbidity (light attenuation), underwater noise, river flow, and sea-ice

195 coverage.

175

ha eliminato:	Service
ha eliminato:	outside CMEMS
ha eliminato:	forcing
ha eliminato:	CMEMS
ha eliminato:	center
ha eliminato:	centers
ha eliminato:	C 1611
-	
ha eliminato:	-
ha eliminato:	Centers
ha eliminato:	6.1611
na emmato:	TUITIII
ha eliminato:	NRT (Near-Real-Time)
ha eliminato:	DM (Delayed Mode)
ha eliminato:	INS TAC (
ha eliminato:)
ha eliminato:	OceanOPS
ha eliminato:	Centers
	Everyone's Gliding Observatories (EGO),
-	
ha eliminato:	
ha eliminato:	EMODnet ¶

ha eliminato:

ha eliminato: Figure 4.1-3)

EMODnet Physics offers an array of in situ data collections (time-series, profiles, and datasets) obtained from various platforms (such as tide gauges, river stations, floats, buoys, gliders, drifters, and ship-based observations). EMODnet Physics does not operate platforms; instead, it integrates and federates key data infrastructures and programs. For example, it is synchronized with Copernicus Marine INS TAC and includes supplementary in situ data from PANGAEA, (https://www.pangaea.de/), the International Council for the Exploration of the Sea (https://www.ices.dk/data/data-portals/Pages/ocean.aspx), the European Multidisciplinary Seafloor and Water Column Observatory (EMSO) (https://emso.eu/), the SeaDataNet network of National Oceanographic Data Centres (NODCs), and other Global Ocean Observation System networks (https://goosocean.org/). The data and data products are accompanied by metadata, offering users comprehensive information regarding the provenance, content, location, time, data sources, and quality check procedures.

It supports human-based data discovery (https://https://emodnet.ec.europa.eu/geoviewer/) and machine-to-machine interoperability (https://data-erddap.emodnet-physics.eu/erddap/) and contributes to enhancing our understanding of the physical aspects of the marine environment. EMODnet Physics supports various applications, including scientific research, coastal management, maritime operations, and policymaking.




Figure 3: In-situ data discovery in EMODnet Physics. Waves Height chart.


SeaDataNet

225

SeaDataNet (http://www.seadatanet.org) is a Pan-European network of professional marine data centres providing data and metadata standards for the marine community, and on-line access to their data holdings of standardized quality (Schaap and

ha eliminato: CMEMS
ha eliminato: ,
ha eliminato: ICES

(ha eliminato:)



ha eliminato: centers

Lowry, 2010). Founding partners are the National Oceanographic Data Centres, major marine research institutes, UNESCO-IOC, ICES, and European Commission Joint Research Centre (EC, JRC). Over three decades, SeaDataNet has expanded its network of data centres and infrastructure in a long series of EU projects, mostly funded through EU DG RTD. SeaDataNet operates an infrastructure for managing, indexing and providing access to ocean and marine environmental data sets and data products (e.g. physical, chemical, geological, and biological properties) and for safeguarding the long term archival and stewardship of these data sets. Data are derived from many different sensors installed on research vessels, satellites and in-situ platforms that are part of various ocean and marine observing systems and research programs. A core SeaDataNet service is the Common Data Index (CDI) data discovery and access service which provides harmonized discovery and access to a large volume of marine and ocean data sets, Currently, more than 110 data centres are connected to the CDI service from 34 countries around European seas, giving access to more than 2.5 million data sets, originating from more than 650 organizations in Europe, This imposes strong requirements towards ensuring quality, elimination of duplicate data and overall coherence of the integrated data set. This is achieved in SeaDataNet by establishing and maintaining accurate metadata directories and data access services, as well as common standards like vocabularies, metadata formats, data exchange formats, quality control methods and quality flags. SeaDataNet data resources are quality controlled and are major input for developing added-value services and products that serve users from government, research and industry (Simoncelli et al., 2022).

3 Single Source Integrators

265

Besides these key European multi-parameter ocean data integrators, there are a number of initiatives that focus on single platforms or specific ocean variables. These initiatives concentrate on specific aspects of the marine environment, targeting a particular platform or variable for data collection and integration. Examples include projects that solely focus on buoys or floats for collecting oceanic data, or initiatives that specifically address parameters such as sea surface temperature, ocean currents, or marine biodiversity. By specializing in a single platform or variable, they can provide detailed and focused data products and services that cater to specific user needs and applications, as well as provide a simplified source for specific forecasting systems. The following Table 2 summarizes the most used ones.

Table 2: List of single data type sources for modeling community.

Data Type	Description	Source
Upper Ocean T&S	Global Temperature and Salinity Profile	https://www.ncei.noaa.gov/product
	Programme (GTSPP)	s/global-temperature-and-salinity-
		profile-programme
Surface underway T&S	Global Ocean Surface Underway Data	https://www.gosud.org/
	(GOSUD)	

ha eliminato: (NODCs).

ha eliminato:

ha eliminato:

ha eliminato: centers

ha eliminato: SDN

ha eliminato: , both from research and monitoring organizations, which increasingly are major input for developing added-value services and products that serve users from government, research and industry. Currently, more than 110 data centers

ha eliminato: , covering physical, geological, chemical, biological and geophysical data, and acquired in European waters and global oceans. Data resources are quality controlled and managed at distributed data centers that are interconnected by the SeaDataNet CDI system and accessible for users through an integrated portal. The data centers are mostly National Oceanographic Data Centres (NODCs) which are part of major marine research institutes that are developing and operating national marine data networks, and international organizations such as IOC/IODE and ICES. The data sets managed come from various originators, instruments, platforms and periods.

Underway surface ocean and	Shipboard Automated Meteorological and	https://samos.coaps.fsu.edu/html/
marine MET data (SAMOS)	Oceanographic System (SAMOS)	
Argo profiling float data	Argo Global Data Assembly Centres (GDACs)	https://argo.ucsd.edu/data/
Drifters	Global Drifter Programme (GDP) Drifter Data	https://www.aoml.noaa.gov/phod/g
	Assembly Centre (DAC)	dp/data.php
Meteorological Moored Buoys	National Meteorological and Hydrological	https://www.ndbc.noaa.gov/
	Services (NMHSs) operating the buoys	
Tsunameters	Tsunami Information Centre (ITIC)	http://itic.ioc-unesco.org/index.php
Tsunameters	Tsunami Alert Device (JRC)	https://webcritech.jrc.ec.europa.eu/
		TAD_server/Home
Deepwater reference stations	OceanSITES stations	http://www.oceansites.org/
Surface marine observational	International Comprehensive Ocean-	http://icoads.noaa.gov/
records from ships, buoys, and	Atmosphere Data Set (ICOADS)	
other platform types		
Tide gauges	Global Sea Level Observing System (GLOSS)	http://www.gloss-sealevel.org/data/
Tide gauges	IOC Sea Level Station Monitoring Facility	http://www.ioc-
		sealevelmonitoring.org/list.php
Tide gauges	The UHSLC - GLOSS Fast-Delivery Centre	https://uhslc.soest.hawaii.edu/data/
		?fd
Gliders	OceanGliders (formerly EGO)	http://www.ego-
		network.org/dokuwiki/doku.php
		https://erddap.ifremer.fr/erddap/tab
		ledap/OceanGlidersGDACTrajecto
		ries.html
HR SST data from satellites	Group for High Resolution Sea Surface	https://www.ghrsst.org/
	Temperature (GHRSST) Regional Data	
	Assembly Centres	
Bottle data	International Council for the Exploration of the	https://data.ices.dk/view-map
	Sea (ICES)	
MEOP-CTD database	Over 600,000 vertical profiles (since 2004) of	https://www.meop.net/database/me
	Temperature and Salinity collected by sea	op-databases/
	mammals	
	ı	

ha eliminato: Tsunamy

ha eliminato: Center

CLIVAR	and	Carbon	CCHDO (CLIVAR and Carbon Hydrographic https://cchdo.ucsd.edu/
Hydrographic Data Office		ffice	Data Office) hosts vessel-based CTD and
			hydrographic data from GO-SHIP, WOCE,
			CLIVAR and other repeat hydrography
			programs.

4 Ways forward in ocean data integration

In advancing ocean data integration, several key strategies can push our understanding of marine ecosystems and facilitate more informed decision-making. Shared data repositories and standardized data formats can streamline the integration process, ensuring compatibility and accessibility, and more generically data-FAIR (Wilkinson et al. 2016). Harnessing the power of emerging technologies, such as artificial intelligence and machine learning, offers opportunities to analyse vast datasets swiftly and extract meaningful insights. Implementing autonomous sensors and advanced monitoring systems enhances real-time data collection, providing a more comprehensive and dynamic picture of oceanic conditions. To follow the evolution of ocean general metocean models in terms of spatial resolution, which, in the future, will reach the kilometric scale at the global level, there is a clear need for more sensors deployed at the global, regional, and local scale. In this framework, the inclusion of cost-effective and citizen-based data collection is also a key forward-looking and long-term initiatives, such EMODnet, may have a crucial role in setting up the data flow capacities for emerging networks not organized under GOOS networks.

Timeliness is also an important parameter to be improved to ensure that data are available at each model run, particularly crucial for coastal applications where ocean dynamics evolve rapidly. Nevertheless, data usability/consumability strongly depends on the data policy license, and there is an increasing push for adopting the Common Creative framework and, in particular, the CC-BY license, where the only limitation is that credit must be given to the creator. Integrating these strategies collectively will not only advance ocean data integration but also contribute to the ongoing evolution of ocean general metocean models, including digital twins of the oceans, and foster a more comprehensive and accessible understanding of the marine environment.

References

Belbéoch, M., Jiang, L., Kramp, M., Krieger, M., Lizé, A., Rusciano, E., Turpin, V.: International coordination of the in situ met-ocean observing networks. 9th EuroGOOS International conference, Shom; Ifremer; EuroGOOS AISBL, May 2021, 310 Brest, France. Available at https://hal.science/hal-03328358v1/file/EuroGOOS2021_extended_abstract_Belbeoch.pdf, 2022 (last access: 27/07/2024).

Corredor, J.E.: Coastal Ocean Observing - Platforms, Sensors and Systems. Springer Cham, XIV, 159. https://doi.org/10.1007/978-3-319-78352-9, 2018. ha eliminato: propel

ha eliminato:

ha eliminato: analyze

ha eliminato: element.

Martín Míguez, B., Novellino, A., Vinci, M., Claus, S., Calewaert, J.B., Vallius, H., Schmitt, T., Pititto, A., Giorgetti, A., Askew, N., Iona, S., Schaap, D., Pinardi, N., Harpham, Q., Kater, B., Populus, J., She, J., Palazov, A.V., McMeel, O., Oset, P., Lear, D., Manzella, G.M.R., Gorringe, P., Simoncelli, S., Larkin, K., Holdsworth, N., Arvanitidis, C.D., Molina, J.M.E., Chaves Montero, M., Herman, P.M.J., Hernandez, F.: The European Marine Observation and Data Network (EMODnet): Visions and Roles of the Gateway to Marine Data in Europe. Frontiers in Marine Science, 6. https://doi.org/10.3389/fmars.2019.00313, 2019.

Moltmann, T., Turton, J., Zhang, H.-M., Nolan, G., Gouldman, C., Griesbauer, L., Willis, Z., Piniella, Á.M., Barrell, S., Andersson, E., Gallage, C., Charpentier, E., Belbeoch, M., Poli, P., Rea, A., Burger, E.F., Legler, D.M., Lumpkin, R., Meinig, C., O'Brien, K., Saha, K., Sutton, A., Zhang, D., and Zhang, Y.: A Global Ocean Observing System (GOOS), Delivered Through Enhanced Collaboration Across Regions, Communities, and New Technologies. Frontiers in Marine Science, 6, 291. https://doi.org/10.3389/fmars.2019.00291, 2019.

Novellino, A., Arnaud, A., Schiller, A., and Wan, L.: End User Applications for Ocean Forecasting: present status description,

State Planet Discuss. [preprint], https://doi.org/10.5194/sp-2024-25, in review, 2024

O'Brien, K., Heslop, E., Belbeoch, M.: Observations Coordination Group (OCG) Data Implementation Strategy (2024), GOOS Report No.296, 2024

Schaap, D.M.A., Novellino, A., Fichaut, M., Manzella, G.M.R.: Chapter Three - Data management infrastructures and their practices in Europe, Ocean Science Data, Elsevier, 131-193, https://doi.org/10.1016/B978-0-12-823427-3.00007-4, 2022

Schaap, D.M.A., and Lowry, R.K.: SeaDataNet – Pan-European infrastructure for marine and ocean data management: unified access to distributed data sets. International Journal of Digital Earth, 3(1), 50-69. https://doi.org/10.1080/17538941003660974, 2010.

Shepherd, I.: European efforts to make marine data more accessible. Ethics in Science and Environmental Politics, 18, 75-81. https://doi.org/10.3354/esep00181, 2018.

340 Simoncelli, S., Manzella, G.M.R., Storto, A., Pisano, A., Lipizer, M., Barth, A., Myroshnychenko, V., Boyer, T., Troupin, C., Coatanoan, C., Pititto, A., Schlitzer, R., Schaap, D.M.A., Diggs, S.: Chapter Four - A collaborative framework among data producers, managers, and users, Ocean Science Data, Elsevier, 197-280, https://doi.org/10.1016/B978-0-12-823427-3.00001-3, 2022.

Wilkinson, M., Dumontier, M., Aalbersberg, I. et al. The FAIR Guiding Principles for scientific data management and stewardship. Sci Data 3, 160018. https://doi.org/10.1038/sdata.2016.18, 2016.

Competing interests

The contact author has declared that none of the authors has any competing interests.

ha eliminato:

please do.

[TO REMOVE BEFORE THE SUBMISSION]
Please, review the abstract and correct it.
Please, go to the section "Competing interests" and if the default statement is wrong, please change.
Additional sections "Data and/or code availability", "Authors contribution" and "Acknowledgements" can be completed also during the review phase, but if you prefer to complete now,

Then, only after these checks, submit the paper.

Data and/or code availability

All the data is publicly available under provided links.

ha eliminato: This can also be included at a later stage, so no problem to define it for the first submission.

Authors contribution

A.N. developed the initial draft. Co-authors reviewed and edited.

ha eliminato: This can also be included at a later stage, so no problem to define it for the first submission.

Acknowledgements

This activity was indirectly supported by authors activities under the Copernicus Marine Service and EMODnet programs and the following projects: HE OCEANICE (ct. 101060452), HE POLARIN (ct. 101130949), HE BLUECLOUD2026 (ct. 101094227).

ha eliminato: This can also be included at a later stage, so no problem to define it for the first submission.