

Distributed Environments for Ocean Forecasting: the role of Cloud Computing

Stefania Ciliberti¹ ~~and~~ Gianpaolo Coro²

5 ¹Nologin Oceanic Weather Systems, Santiago de Compostela, Spain

²Istituto di Scienza e Tecnologie dell'Informazione "Alessandro Faedo", Area della Ricerca CNR di Pisa, Pisa, Italy

Correspondence to: stefania.ciliberti@nowsystems.eu

10 **Abstract.** Cloud computing offers an opportunity to innovate traditional methods for provisioning of scalable and measurable
computed resources as needed by operational forecasting systems. It offers solutions for more flexible and adaptable computing
architecture, for developing and running models, for managing and disseminating data to finally deploy services and
applications. The review discussed on the key characteristic of cloud computing related on on-demand self-service, network
access, resource pooling, elasticity and measured services. Additionally, it provides an overview of existing service models
15 and deployments methods (e.g., private cloud, public cloud, community cloud, and hybrid cloud). A series of examples from
the weather and ocean community is also briefly outlined, demonstrating how specific tasks can be mapped on specific cloud
patterns and which methods are needed to be implemented depending on the specific adopted service model.

1 Introduction

Cloud computing presents an opportunity to rethink traditional approaches used in operational oceanography (Vance et al.,
20 2016), since it can enable a more flexible and adaptable computing architecture for observations and predictions, offering new
ways for scientists to observe and predict the state of the ocean and, consequently, to build innovative downstream services
for end-users and policy makers. Operational Ocean Forecasting Systems (OOFS) are sustained by a solid backbone composed
by satellite and marine observation networks for Earth observations (i.e., data) and state-of-the-art numerical models (i.e.,
25 tools) that delivers products according to agreed standards (i.e., ocean predictions, indicators, etc.): the workflow is well
represented by the ocean value chain, as described in Bahurel et al. (2010) and Alvarez-Fanjul et al. (2022). OOFS massively
use high performance computing (HPC) to process data and run tools, whose results are shared and validated according to
agreed data standards and methodologies, that can result in a remarkable computational cost, not always affordable for research
institutes and organizations. Additionally, w
30 When building services, it is also important to guarantee lower-latency, cost-
efficiency and scalability, together with reliability and efficiency. In such framework, cloud computing can represent an
opportunity for expanding the capabilities of forecasting centres in managing, producing, processing and sharing ocean data.
Cloud technology has been dramatically evolved in the last decades: private sector has extensively used cloud computing for
enabling scalability and security, leveraging it for Artificial Intelligence (AI) and Machine Learning (ML)AI/ML framework,

Internet of Things (IoT) integration and HPC to optimize and innovate operations. It plays also a crucial role in enhancing data interoperability and FAIR (findable, accessible, interoperable and reusable, Wilkinson et al., 2016) principles, through standardization of formats, APIs and access protocols, ensuring that datasets can be easily shared, accessed, and reused by researchers globally.

Considering OOFs, the computational and programming models offered by cloud computing can largely support real time data processing, scalable model runs, data sharing and elastic operations, facilitating the integration of AI/ML techniques (Heimbach et al., 2024) and the development of applications for Blue Economy and society (Veitch et al., 2024) in operational frameworks. More in detail, cloud computing can provide a powerful and collaborative platform for the development and running of operational models, for management and dissemination of data, for building and deploying services to downstream business and applications, and finally for analyses and visualization of oceanographic products, enabling researchers to tackle larger and more complex problems without the burden of building and maintaining computing and storage infrastructures. However, challenges such as data transfer latency, security and potential vendor lock-in must be addressed, including the high-costs for running complex modelling systems.

This paper explores today capabilities in cloud computing technology with an outlook on benefit and challenges in adopting this paradigm in OOFs. The reminder of this paper is organized as follows: Section 2 presents cloud computing foundational key concepts, highlighting some existing initiatives from the private sectors; Section 3 discusses on opportunities and challenges for ocean prediction in adopting cloud technologies, presenting existing international initiatives worldwide as examples. Section 4 concludes this paper.

2 Key concepts of Cloud Computing

2.1 A brief history of Cloud Computing

Cloud computing is a specialized form of distributed computing that introduces utilization models for remotely provisioning scalable and measured computing resources (e.g., networks, servers, storage, applications, and services) (Mahmood et al., 2013), offering organizations different benefits for their business services and applications: scalability, cost savings, flexibility and agility, reliability and availability, collaboration and accessibility, innovation and experimentation, and sustainability.

The term originated as a metaphor for the Internet which is, in essence, a network of networks providing remote access to a set of decentralized IT resources. ~~In the early 1960s, J. McCarthy introduced the concept of computing as Utility: The idea of computing in the cloud traces back to 1961 when the computer scientist John McCarthy publicly proposed:~~ "If computers of the kind I have advocated become the computers of the future, then computing may someday be organized as a public utility just as the telephone system is a public utility.... The computer utility could become the basis of a new and important industry". This idea opened to the concept of having services on the Internet so users could benefit of them for their applications. In the same period, J. C. R. Licklider envisioned a world where interconnected systems of computers could communicate and inter-

operate: that was the milestone of the modern cloud computing. In the late 1990s, R. Chellappa introduced for the first time the term “cloud computing” as a new computing paradigm (Chellappa, 1997), “where the boundaries of computing will be determined by economic rationale rather than technical limits alone”, dealing with concepts such as expandable and allocatable resources that can ensure cost-efficiency, scalability, and business value. In the same period, Compaq Computer Corporation adopted the concept of “cloud” in its business plan, as term for evolving the technological capacity of the company itself in offering new scalable and expandable services to customers over the Internet. The last 2 decades have been characterized by a rapid expansion of Cloud Computing: wWhile the general public has been leveraging forms of Internet-based computer utilities since the mid-1990s as form of search engines, e-mail services, social media platforms, etc., it wasn’t until 2006 that the term cloud computing emerged, when Amazon launched its Simple Storage Service (Amazon S3) followed by the Elastic Compute Cloud (Amazon EC2) service, enabling organizations to lease computing capacity and storage to run their business applications. In 2008, Google launched the Google App Engine, a cloud computing platform used as a service for developing and hosting web applications; then, in 2010 Microsoft launched Azure as a cloud computing platform and service provider that provides scalable, on-demand resources to customers to build applications globally; in 2012, Google launched the Google Compute Engine which enables users to launch virtual machines (VM) on demand. To understand the framework over which cloud computing is built, it is fundamental to refer to standards and best practices. The currently most widely accepted definition of cloud computing is provided by the North American National Institute for Standard and Technology (NIST) (Mell and Grance, 2011): “Cloud computing is a model for enabling ubiquitous, convenient, on-demand network access to a shared pool of configurable computing resources that can be rapidly provisioned and released with minimal management effort or service provider interaction”. NIST further elaborates on cloud computing providing a Cloud Computing Reference Architecture based on five Essential Characteristics, three Service Models, and four Deployment Models.

2.2 An outlook to NIST definitions

Cloud computing Essential Characteristics defined by NIST can be considered as reference guidelines for both providers and clients to ensure scalable, cost-effective and accessible resources to fit specific needs. are reported in Table 1 shows a summary of the Essential Characteristics’ definitions as provided in Mell and Grance (2011), offering the client and provider’s perspectives with some examples that show how cloud solutions ensure scalability, flexibility and efficiency. Cloud computing service models define the types of services that are provided by cloud service providers: Table 2 illustrates the NIST definitions with the corresponding use cases.

Table 1: NIST Cloud Computing Essential Characteristics: client/provider perspectives and examples:

<u>Characteristics</u>	<u>Primary Focus</u>	<u>Client Perspective</u>	<u>Cloud Provider Perspective</u>	<u>Example</u>
<u>On-Demand Self-Service</u>	<u>Users can provision computing resources (e.g., storage, VMs) automatically, without requiring human interaction with the service provider.</u>	<u>Users can request and configure resources like virtual machines, storage, or applications when needed, directly from a web interface or API.</u>	<u>Automatically provide resources in response to user requests without manual intervention.</u>	<u>A developer launches a virtual machine on a cloud platform using a dashboard or API in minutes, without needing to contact support.</u>
<u>Broad Network Access</u>	<u>Cloud resources are available over a network and accessible through standard mechanisms from various devices</u>	<u>Users can access cloud services from a range of devices (e.g., mobiles, PCs, etc.) through standard protocols like HTTP/HTTPS and APIs.</u>	<u>Ensure cloud services can be accessed consistently and securely from different client devices.</u>	<u>A user edits a document stored in the cloud from a laptop at home, and then continues editing from a smartphone while commuting.</u>
<u>Resource Pooling</u>	<u>Cloud providers pool resources to serve multiple users (tenants) dynamically, with no fixed assignment to any one user.</u>	<u>Users don't know the exact physical location of the resources they are using, but they get what they need as required.</u>	<u>Dynamically allocate physical and virtual resources across many customers to maximize efficiency and utilization.</u>	<u>Multiple customers use the same set of servers and storage, but their workloads are isolated through virtualization technologies for security.</u>
<u>Rapid Elasticity</u>	<u>Cloud resources can be quickly scaled up or down to meet demand, often</u>	<u>Users can automatically scale their resources up or</u>	<u>Automatically add or remove resources in response to changing demand, ensuring that</u>	<u>An e-commerce website automatically scales up its computing resources</u>

	<u>appearing limitless to the user.</u>	<u>down based on their needs, without delays.</u>	<u>the user has sufficient capacity.</u>	<u>during a flash sale, then scales down when the traffic subsides.</u>
<u>Measured Service</u>	<u>Cloud systems automatically control and optimize resource usage by tracking it and charging based on actual consumption.</u>	<u>Users only pay for the amount of resources (e.g., storage, CPU, bandwidth) they actually use, with detailed reporting.</u>	<u>Track resource consumption at various levels (e.g., storage, CPU usage) and optimize based on real-time monitoring.</u>	<u>A company receives a monthly bill detailing how much computing power and storage they used, ensuring that they are billed accurately based on consumption.</u>

<i>Essential Characteristic</i>	<i>Description</i>
<i>On-demand self-service</i>	A consumer can unilaterally provision computing capabilities, such as server time and network storage, as needed automatically without requiring human interaction with each service provider
<i>Broad—network access</i>	Capabilities are available over the network and accessed through standard mechanisms that promote use by heterogeneous thin or thick client platforms (Thin client relies mainly on network connection and cloud services to do any processing (Chromebooks are a sort of thin client). Thick clients can function independently—e.g. a traditional PC—).
<i>Resource pooling</i>	The provider's computing resources are pooled to serve multiple consumers using a multi-tenant model with different physical and virtual resources dynamically assigned and reassigned according to consumer demand. Multi tenancy means that multiple users share the same resources of a cloud provider (e.g. one physical server is used to provide multiple virtual machines belonging to different users). A multi-tenant model guarantees that resources can be shared among multiple users and instances of each tenant are isolated and secured from the other tenants.

95

Rapid elasticity	Capabilities can be elastically provisioned and released, in some cases automatically, to scale rapidly outward and inward commensurate with demand.
Measured service	Cloud systems automatically control and optimize resource use by leveraging a metering capability

100

NIST specifies three possible cloud **Services Models**: Infrastructure as a Service (IaaS), Platform as a Service (PaaS) and Software as a Service (SaaS). They define the foundational cloud services’ characteristics clients need, to ensure adequate levels of management, flexibility and control. Table 2 presents Service Models’ definitions as provided in Mell and Grance (2011), discussing examples where they are used.

Table 2: NIST Cloud Computing Service Models

<i>Service Model</i>	<i><u>Primary Focus (from Mell and Grance, 2011)</u></i> <i><u>Description</u></i>	<i><u>Client Perspective</u></i>	<i><u>Provider Perspective</u></i>	<i>Use Cases</i>
<i>Infrastructure as a Service (IaaS)</i>	The capability provided to the consumer is to provision processing, storage, networks, and other fundamental computing resources where the consumer is able to <u>can</u> deploy and run arbitrary software.	<u>Renting and managing computing resources in a virtualized infrastructure.</u>	<u>Provisioning of computing resources in a virtualized infrastructure.</u>	Suitable for organizations that want full control over their infrastructure resources (virtual machines, networks, storage) that want their flexibility in customizing software stack and applications, <u>including data processing and -backup.</u> <u>Examples: Amazon EC2, Microsoft Azure, etc.</u>
<i>Platform as a Service (PaaS)</i>	The capability provided to the consumer is to deploy onto the cloud infrastructure consumer-created or acquired applications created using	<u>Easing applications deployment without taking care of the infrastructure and middleware.</u>	<u>Provisioning and management of the platform.</u>	Suitable for developers and organizations that want to develop, deploy and maintain applications without the burden of managing the

	programming languages, libraries, services, and tools supported by the provider.	<u>Dependency on provider's platform.</u>		underlying infrastructure (virtual machines, network and storage), that is provisioned and deployed by the providers. <u>Examples: Google App Engine, Microsoft Azure App Services, etc.</u>
<i>Software as a Service (SaaS)</i>	The capability provided to the consumer is to use the provider's applications running on a cloud infrastructure.	<u>Using directly software applications via Internet (e.g., web browser or using a client), decreasing costs related to licences.</u>	<u>Provisioning and management of the software applications, including customer support.</u>	It enables organizations to focus on their core business activities while relying on the expertise and infrastructure provided by the SaaS provider. <u>Examples: Google Drive, Dropbox, Microsoft 365,-</u>

Beside the NIST definitions, similar to PaaS another service model is the Serverless model (or Function as a Service - FaaS), that is the capability provided to the user to abstract infrastructure concerns away from applications, where developers can implement application functionality as invokable functions/services whilst providers automatically provision, deploy, and scale these services based on a range of criteria, including efficiency, cost, load balancing, etc. Examples of Serverless/FaaS services are AWS Lambda¹ and Fargate², Microsoft Azure Functions³, Google Cloud Functions⁴, Scaleway Serverless Functions⁵.

Cloud computing deployment models can be based on different approaches, offering organizations options for workload placement, application development, and resource allocation to optimize their cloud strategy based on their needs, cost

¹ <https://aws.amazon.com/lambda>

² <https://aws.amazon.com/fargate>

³ <https://azure.microsoft.com/en-us/products/functions>

⁴ <https://cloud.google.com/functions>

⁵ <https://www.scaleway.com/en/serverless-functions>

considerations, performance requirements, compliance regulations and desired level of control. The four cloud computing **Deployment Models** identified by NIST are reported in Table 3 with a description and some examples.-

Table 3: NIST Cloud Computing Deployment Models.

<i>Deployment Model</i>	<i>Description</i>	<i>Examples</i>
<i>Private Cloud</i>	Deployment of cloud infrastructure and services exclusively for a single organization or entity. In a private cloud, the computing resources, such as servers, storage, networking, and virtualization technologies, are dedicated to and managed by the organization itself. The infrastructure can be hosted on-premises within the organization's own data centers or in a dedicated off-site facility.	Open source software solutions such as CloudStack ⁶ , OpenNebula ⁷ , Openstack ⁸ , allow organizations to build their own private cloud computing solutions.
<i>Public Cloud</i>	Use of cloud services provided by third-party vendors over the internet. The infrastructure and resources in the public cloud are shared among multiple customers and the cloud service provider is responsible for managing and maintaining the underlying hardware, software, and infrastructure. Users can access and utilize the services on a pay-as-you-go basis, typically through a subscription or usage-based pricing model.	Examples of Public C eloud providers are Alibaba ⁹ , Amazon Web Services ¹⁰ , Google Cloud Platform ¹¹ , Hetzner ¹² , Microsoft Azure ¹³ , Scaleway ¹⁴ .

⁶ <https://cloudstack.apache.org>

⁷ <https://opennebula.io>

⁸ <https://www.openstack.org>

⁹ <https://www.alibabacloud.com>

¹⁰ <https://aws.amazon.com>

¹¹ <https://cloud.google.com>

¹² <https://www.hetzner.com/cloud>

¹³ <https://azure.microsoft.com>

¹⁴ <https://www.scaleway.com/en>

<p><i>Community Cloud</i></p>	<p>Cloud infrastructure and resources are shared among organizations with common interests, such as industry-specific regulations, security requirements, or collaborative projects. In a community cloud, the infrastructure is designed and managed for the specific needs of the community members, and it allows organizations within the community to share costs, resources, and expertise while maintaining a higher level of control and customization compared to public cloud services.</p>	<p>EGI¹⁵ is a federation of different European Data Centers providing a cloud infrastructure for research communities. The European Open Science Cloud (EOSC¹⁶) is an environment for hosting and processing research data to support EU science, built on top of EGI cloud infrastructure. The European Weather Cloud¹⁷ will deliver data access and cloud-based processing capabilities for the European Meteorological Infrastructure (EMI) and their users. The D4Science¹⁸ e-infrastructure (Assante et al., 2019) is the core of the Blue-Cloud¹⁹ Virtual Research Environments (VREs): it implements proven solutions for connecting to external services and orchestrates distributed services, which will be instrumental for smart connections to other e-infrastructures in Blue-Cloud, including EUDAT and DIAS (WeKEO).</p>
<p><i>Hybrid Cloud</i></p>	<p>It combines both public and private cloud environments to create a unified computing infrastructure, allowing organizations to host some applications or data in a private cloud (i.e. greater control, security and compliance), while utilizing public cloud services for other applications or workloads (i.e. scalability, cost-effectiveness and flexibility for workload burst/on-demand peaks). The hybrid approach provides the ability to address specific requirements, such as regulatory compliance or data sovereignty, by keeping sensitive data within</p>	<p>Netflix²⁰ uses a hybrid cloud storage solution in order to store and move assets across Amazon AWS S3 and multiple on-premises storage systems.</p>

¹⁵ <https://www.egi.eu>

¹⁶ <https://eosc.eu>

¹⁷ <https://www.europeanweather.cloud>

¹⁸ <https://www.d4science.org/>

¹⁹ <https://www.blue-cloud.org/e-infrastructures/d4science>

²⁰ <https://aws.amazon.com/solutions/case-studies/netflix-storage-reinvent22>

115

	a private infrastructure while utilizing the public cloud for less sensitive workloads.	
--	---	--

Beside the cloud deployment models identified by NIST, there are few other approaches that are worth mentioning that provide further capabilities to the organizations that decide to embrace cloud technology.

120

Multi-cloud computing refers to the strategy of using multiple cloud service providers, allowing organizations leveraging the services of two or more public/private cloud providers or a combination public-private, combining their offerings to build and manage their applications and infrastructure. This approach allows businesses to take advantage of the strengths and capabilities of different cloud providers, such as cost-effectiveness, performance, geographic coverage, or specialized services.

125

It also offers increased flexibility, redundancy, and mitigates the risk of vendor lock-in (Hong et al., 2019). Multi-cloud solutions, that can be based on open source technologies such as Kubernetes, offer the possibility to ease migration of applications, improving portability since they support containerization and microservices. Major challenges include the complexity in the management of the infrastructure, issues with integration and interoperability and security. The **Edge-computing** paradigm enables data analysing, storage and offloading computations near the edge devices (such as Internet of Things – IoT – devices, sensors, mobile devices, etc.) to improve response time and save bandwidth (Pushpa and Kalyani, 2020). This approach aims at minimizing the data volume to process in the cloud, reducing network costs and bandwidth utilization and increasing reliability and scalability. Major challenges include the complexity in the management of the edge devices, security potentially affected by devices’ vulnerability and synchronization of communications between edge devices and cloud infrastructure.

130

Distributed cloud-edge computing, one of the main innovation streams for cloud computing, combines elements of cloud computing with edge computing, extending the capabilities of the traditional centralized cloud infrastructure by distributing cloud services closer to the edge of the network, where data is generated and consumed, rather than relying solely on centralized

135

data centerscentres. By moving cloud services closer to where data is generated, latency is reduced, and real-time or time-sensitive applications can benefit from faster response times and improved performance. This is especially crucial for applications requiring immediate data processing and low latency. Recently, public cloud providers started to offer pre-configured appliances (e.g. AWS Outpost, Azure Stack) that brings the power of the public cloud to the private and edge cloud, and have defined collaborations with telcos (e.g. AWS and Vodafone, Google and ATT) to create 5G edge services.

140

Furthermore, the main open source cloud management platforms provide extensions (OpenNebula ONEedge, OpenStack StarlingX, Kubernetes KubeEdge) for enhancing private clouds with capabilities for automated provisioning of compute, storage and networking resources and/or orchestrate virtualized and containerized application on the edge. Major challenges include ensuring data security across the distributed locations, for a safe communication between cloud and edge, and resource management and network reliability.

145 Based on NIST’s definitions as discussed before, Table 4 summarizes how the five Essential Characteristics apply across the four Deployment Models (Public, Private, Hybrid, and Community Cloud) to support the selection of the right cloud model with respect to efficiency in costs and performances, security and management.

Table 4: Mapping Essential Characteristics on type of cloud Deployment Models.

<u>Essential Characteristic</u>	<u>Deployment Model</u>			
	<u>Private Cloud</u>	<u>Public Cloud</u>	<u>Community Cloud</u>	<u>Hybrid Cloud</u>
<u>On-Demand Self-Service</u>	<u>Managed internally, self-service for internal teams</u>	<u>Users provision services via public provider's API or portal</u>	<u>Self-service for community members, often through secure portals</u>	<u>Self-service across both public and private clouds, with potential for complex management</u>
<u>Broad Network Access</u>	<u>Limited to internal users or authorized external users (VPN, private network)</u>	<u>Accessible over the public internet via standard protocols (e.g., HTTP)</u>	<u>Restricted to community members with specific access</u>	<u>Accessible over both public and private networks, often with encrypted or dedicated connections</u>
<u>Resource Pooling</u>	<u>Resources are pooled internally for organizational needs</u>	<u>Resources are pooled and shared across multiple tenants</u>	<u>Resources are pooled among members of a specific community</u>	<u>Resources are pooled across private and public clouds, with dynamic allocation based on workload</u>
<u>Rapid Elasticity</u>	<u>Elasticity may be constrained by internal resources</u>	<u>High elasticity with near-unlimited scalability based on demand</u>	<u>Elasticity exists but is constrained by the community’s shared resources</u>	<u>Public cloud provides high elasticity, with private cloud handling more stable, predictable workloads</u>
<u>Measured Service</u>	<u>Internal measurement and chargeback to departments</u>	<u>Public provider measures and bills based on usage (e.g., compute hours, storage)</u>	<u>Resource usage is tracked across community members for cost-sharing</u>	<u>Both private and public clouds measure usage, with different billing models (internal and public)</u>

~~CAs of today, cloud computing has been established as a new paradigm for the development and delivery of business and enterprise applications. Cloud-native applications — i.e., that are buildingbuilt, runningrun, and maintainingmaintained using tools, apps based on techniques and technologies for cloud computing — provide abstraction from underlying infrastructure and use agile and DevOps methods thanks to the flexibility and agile infrastructure provided by cloud computing technologiesenhanced scalability, flexibility and reliability, which are strongest in Public and Hybrid cloud models.~~ Cloud-native application development is driven by new software models, such as microservices and serverless, and is made possible through technologies such as ~~Linux~~ containers (i.e., Docker²¹) and container orchestration tools (i.e., like Kubernetes), that are becoming the de facto leading standards for packaging, deployment, scaling and management of enterprise and business applications on cloud computing infrastructures.

155 Following the rise of ~~Linux container~~containerization-use in enterprise environments, the adoption of container technologies has gained momentum in technical and scientific computing, i.e.,including high-performance computing (HPC). Containers can address many HPC problems (Mancini and Aloisio, 2015); however, security and performance overhead represent some current limits in using containerization in HPC environment (Chung et al., 2016; Abraham et al., 2020), but unfortunately the mainstream container engine such as Docker was not able to make its mark in HPC centers due to some technical challenges.

160 Several container platforms have been created to address the needs of the HPC community such as Shifter (Jacobsen and Canon, 2015), Singularity (Kurtzer et al., 2017) (now Apptainer), Charliecloud (Priedhorsky and Randles, 2017) and Sarus (Benedicic et al., 2019). Recently, Podman²² has been analyzed to investigate its suitability in the context of HPC (Gantikow et al., 2020), showing some promise in bringing a standard-based, multi-architecture enabled container engine to HPC.

2.3 Cloud Computing in Operational Ocean ForecastingCloud Technology Landscape in Oceanography

170 ~~Technological advancements in cloud computing and its foundational characteristics, services and models can provide enormous advantages for operational oceanography across the ocean architectures (Alvarez Fanjul et al., 2024). Cloud computing presents an opportunity to rethink traditional approaches used in Operational Ocean Forecasting (Vance et al, 2016), since it can enable a more flexible and adaptable computing architecture for observations and predictions, offering new ways for scientists to observe and predict the ocean's state. Cloud computing can provide a powerful and agile platform for development and running operational models, for management and dissemination of data, for building and deploy services to downstream business and applications, and finally for analyses and visualization of oceanographic products, enabling researchers to tackle larger and more complex problems without burden of building and maintaining computing and storage infrastructures.~~

175

²¹ <https://www.docker.com/>

²² <https://podman.io/>

180 • Observational data can be acquired and processed in real-time, giving the opportunity to exploit new devices that can collect complementary observations to the traditional ones from observing networks to use for monitoring and model validation.

• Numerical models can be run on on-premises infrastructure with public and private cloud resources depending on the model execution complexity:

185 ○ On private infrastructure, the forecaster can run nominal operational system for the delivery of the predictions as well as simplified model configurations for finetuning the numerical setup supporting the R&D activities.

○ On public infrastructure, the forecaster can run backup version of the operational system to supply unexpected demands or, depending on the costs, even the nominal one.

190 High-performance resources to run operational models can be leased as needed without the necessity of creating and supporting infrastructure, enabling the possibility to collaborate and use the same resources from geographically diverse locations.

• Pre-processing and post-processing can be supported by fully managed software applications, such as cloud-based AI/ML models for anomaly detection in observations and model-based results.

195 • Visualization and data delivery can be performed on cloud infrastructure for allowing intermediate and end-users to access sensitive information (indicators, maps, bulletins, etc.) from any device in a secure way.

~~For example, high-performance resources to run operational models can be leased as needed without the necessity of creating and supporting infrastructure, enabling the possibility to collaborate and use the same resources from geographically diverse locations.~~ Large scale datasets related to forecast and observational oceanographic products can be stored in cloud-native

200 storages (e.g., S3 Object Storage) and accessed from any location with public connectivity, enabling data proximate computations (Ramamurthy, 2018) for analysis of large datasets using remote resources (close to data) rather than downloading vast amounts of data locally and needing a local infrastructure in support.

Vance et al. (2019) ~~analyze~~analysed uses of the cloud for management and analysis of observational data and model results. They~~;~~ described the workflows for running models and streaming observational data, based on the cloud patterns for e-

205 ~~ScienceAtmospheric and Ocean Research~~ as identified by Butler and Merati (2016). Taking as reference Vance et al. (2019) for the cloud patterns and Alvarez-Fanjul et al. (2024) for the ocean architectural components, The different cloud patterns are reported in Table 5Table 4 shows a simplified pattern analysis (Geyer-Schulz and Hahsler, 2001) for ~~-the ocean value chain components, motivating the added value of adopting cloud-based solutions to improve operational forecasting workflows.-~~

Table 54: Simplified pattern analysis Cloud-Computing Patterns for Operational Oceanographyfor the operational ocean value chain.

Cloud Pattern	Intent	<u>OOFS</u> <u>Architecture</u> <u>Component</u>	<u>Cloud-based</u> <u>solution</u>	<u>Motivation</u>
Cloud-Based Management of Scientific Data – Getting Data From the Cloud	Explores integrating the use of cloud-based data and how scientists can access large volumes of diverse, current and authoritative data, addresses the problem of locating and using large amounts of scientific data.	<u>Upstream data (U)</u>	<u>Hybrid/Public cloud - PaaS or SaaS (data access as a service)</u>	<u>You are a data manager that needs to provide upstream data to forecasters for running a Core module (MOD, DAS, ENS, COUP) or Validation module (VAL).</u>
Cloud-Based Management of Scientific Data – Storing Data in the Cloud	Explores storing and managing data in the cloud. Addresses the problem of ever <u>increasing</u> ever-increasing data quantities with decreasing budgets for data management. Explores the ways scientific projects can meet data access and dissemination requirements	<u>Upstream data (U)</u>	<u>Private cloud - PaaS</u>	<u>You are a data manager that needs a) to store collected observations in a private cloud and/or b) to store model forecasts in native format for further elaboration/use. Data are stored in a database and accessible through API (including GIS-based).</u>
Computing Infrastructure for Scientific Research <u>in Ocean Science</u>	Explores the ways in which cloud computing, in the form of PaaS or IaaS <u>could</u> could <u>computing could</u> be used as part of a research program <u>and</u> for teaching project <u>and</u>	<u>Core modules (MOD, DAS, ENS, COUP)</u>	<u>Private/Hybrid cloud - PaaS or IaaS</u>	<u>You are a numerical modeler that need to develop an ocean model application for research of for training purposes. The project has a limited budget for resources, and</u>

	<u>training</u> . It addresses the need for larger computational capabilities, especially under constrained budgets.			<u>you need to use platform and/or software that can scale depending on the project's requirements.</u>
<u>Running HPC numerical simulation in the Cloud</u>	<u>Explores ways in which cloud-based platforms and tools can be used to run numerical models used in forecasting services.</u>	<u>Core modules (MOD, DAS, ENS, COUP)</u>	<u>Private cloud - IaaS</u>	<u>You are a numerical modeler that need to run a model application (that can include AI/ML) in HPC environment. You need to tailor your environment to suit the needs of your simulation (e.g., computing CPU/GPU, networking, storage).</u>
<u>Computing Infrastructure of Model Application for Operational Ocean Forecasting Systems</u>	<u>Explores the ways in which cloud computing could be used in the production pipeline of ocean forecasts. It addresses the need for larger computational capabilities on demand.</u>	<u>Core modules (MOD, DAS, ENS, COUP)</u>	<u>Hybrid cloud - PaaS or IaaS</u>	<u>You are a forecasting centre that need to run its operational ocean forecasting system on demand under unexpected situation (e.g., working as backup in case the nominal unit is down).</u>
<u>Analysis in the Cloud</u>	<u>Explores conducting analyses in the cloud. Addresses the problem of wanting to perform analyses on ever larger datasets and on datasets from multiple sources. Explores the secondary</u>	<u>Validation module (VAL), Downstream Services (DS)</u>	<u>Hybrid/Private cloud - SaaS (data analysis as a service)</u>	<u>You are a product quality expert/data analyst that need to perform assessment and multi-model intercomparison of forecast products. You have been asked to provide a private cloud-</u>

	question of ways scientific projects can standardize analysis tools among geographically distributed researchers.			<u>based service for pre-qualification of ocean products. You might need to analyse big volume of data.</u>
Visualization in the Cloud	Explores creating visualizations using cloud-based tools and making the visualizations available via the cloud. Addresses the need to visualize larger amounts of data.	<u>Downstream Services (DS)</u>	<u>Private/Public cloud - SaaS (data analysis as a service)</u>	<u>You are a data engineer that needs to create a series of visualizations for the end-users and policy makers. You might need to process big volume of data that require secure resources and access via web.</u>
Results Dissemination in Real Time/Storytelling/Outreach	Explores ways in which cloud-based platforms and tools can be used to reach new audiences. Addresses the need to make research results rapidly available and relevant to a wide variety of audiences — scientific and non-scientific.	<u>Downstream Services (DS)</u>	<u>Hybrid/Private cloud - SaaS</u>	<u>You are a communication expert that need to use cloud-based repository for visualization and/or use cloud-based chats and blogging networks.</u>
Running HPC numerical simulation in the Cloud	Explores ways in which cloud-based platforms and tools can be used to run numerical models used in forecasting services.			

Most of the challenges generically introduced in Section 2 can be still pertinent when adopting cloud computing solutions for OOPS:

- Data Security: processing oceanographic data might generate sensible information that requires to be properly managed. In addition, downstream services might require use of data from ~~governmental~~governmental or research institutes that need to be preserved and possibly not shared.
- Costs: while cloud computing can reduce upfront infrastructure costs, it can become expensive for continuous, long-term use or for HPC tasks that require significant computational power.
- Latency and Bandwidth Limitations: ingesting or assessing large volume of ocean data on centralized cloud data centres might affect OOFS system's performances due to poor network connection.
- Dependence on Cloud Providers (Vendor Lock-In): deployment of OOFS on specific cloud providers might lead to vendor lock-in, complicating migration to another cloud provider due to proprietary technologies, APIs, or data format.
- Regulatory and Compliance Issues: cloud providers must comply with various regulatory frameworks, and using a public cloud for OOFS might complicate compliance with data protection laws or environmental regulations or even with licences.
- Limited Control over Hardware: cloud users don't have direct control over the underlying hardware, which may be a disadvantage when HPC resources need fine-tuned optimization to run OOFS.

In the following, some US and EU programmes, initiatives and projects- are reported as examples on how cloud computing technologies and patterns have been used to provide services to the oceanographic and scientific community in general.

32.1 NOAA Open Data Dissemination & Big Data Program

NOAA's Open Data Dissemination (NODD²³) Program is designed to facilitate public use of key environmental datasets by providing copies of NOAA's information in the Cloud, allowing users to do analyses of data and extract information without having to transfer and store these massive datasets themselves. NODD started out as the Big Data Project in April 2015 (and then later became Big Data Program); NODD currently works with three IaaS providers (Amazon Web Services (AWS), Google Cloud Platform, and Microsoft Azure) to broaden access to NOAA's data resources. These partnerships are designed to not only facilitate full and open data access at no net cost to the ~~taxpayer, but~~taxpayer but also foster innovation by bringing together the tools necessary to make NOAA's data more readily accessible. There ~~are~~is over 220+ NOAA datasets on the Cloud Service Providers (CSPs) platforms. The datasets are organized by the NOAA organization who generated the original dataset (<https://www.noaa.gov/nodd/datasets>).

²³ <https://www.noaa.gov/nodd>

32.2 Copernicus Service and Data and Information Access Services

Copernicus (<https://www.copernicus.eu>) is the Earth Observation component of the EU Space programme, looking at the Earth and its environment to benefit all European citizens. Copernicus is generating on a yearly basis petabyte of data and information that draw from satellite Earth Observation and in-situ (non-space) data. The up-to-date information provided by the core services (Atmosphere²⁴, Climate Change²⁵, Marine²⁶, Land²⁷, Security²⁸ and Emergency²⁹) are free and openly accessible to users. As the data archives grow, it becomes more convenient and efficient not to download the data anymore but to analyze them where they are originally stored.

To facilitate and standardize access to data, the European Commission has funded the deployment of five cloud-based platforms (CreoDIAS³⁰, Mundi³¹, Onda³², Sobloo, Wekeo³³), known as DIAS³⁴ – Data and Information Access Services – that provide centralized access to Copernicus data and information, as well as to processing tools. The DIAS provides users with a large choice of options to benefit from the data generated by Copernicus: to search, visualize and further process the Copernicus data and information through a fully maintained software environment while still having the possibility to download the data to their own computing infrastructure. All DIAS platforms provide access to Copernicus Sentinel data, as well as to the information products from the six operational services of Copernicus, together with cloud-based tools (open source and/or on a pay-per-use basis). Thanks to a single access point for the entire Copernicus data and information, DIAS allows the users to develop and host their own applications in the cloud, while removing the need to download bulky files from several access points and process them locally.

32.3 Blue-Cloud

The European Open Science Cloud (EOSC) provides a virtual environment with open and seamless access to services for storage, management, analysis and re-use of research data, across borders and disciplines. Blue-Cloud aims at developing -a marine -thematic -EOSC -to -explore -and -demonstrate -the potential -of -cloud-based open -science for better -understanding and -managing the many aspects of ocean sustainability (<https://blue-cloud.org/news/blue-clouds-position-paper-eosc>). The Blue-Cloud platform, federating European Blue data management infrastructures (SeaDataNet³⁵, EurOBIS³⁶, Euro-Argo

²⁴ <https://atmosphere.copernicus.eu/>

²⁵ <https://climate.copernicus.eu/>

²⁶ <https://marine.copernicus.eu/>

²⁷ <https://land.copernicus.eu/en>

²⁸ <https://www.copernicus.eu/en/copernicus-services/security>

²⁹ <https://emergency.copernicus.eu/>

³⁰ <https://creodias.eu/>

³¹ <https://mundiwebservices.com/>

³² <https://www.onda-dias.eu/cms/>

³³ <https://www.wekeo.eu/>

³⁴ <https://www.copernicus.eu/en/access-data/dias>

³⁵ <https://www.seadatanet.org/>

³⁶ <https://www.eurobis.org/>

ERIC³⁷, Argo GDAC (Wong et al., 2020), EMODnet³⁸, ELIXIR-ENA³⁹, EuroBioImaging⁴⁰, ~~CMEMSCopernicus Marine,~~
~~E3SCopernicus Climate Change,~~ and ICOS-Marine⁴¹) and horizontal- e-infrastructures (EUDAT⁴², -DIAS, -D4Science),
provides FAIR access to multidisciplinary data, analytical tools and computing and storage facilities that support research.
Blue Cloud provides Services through pilot Demonstrators for oceans, seas and fresh-water bodies for ecosystems research,
conservation, forecasting and innovation in the Blue Economy, and accelerates cross-discipline science, making innovative
use of seamless access to multidisciplinary data, algorithms, and computing resources.

4 Conclusions

Cloud computing has been demonstrated to be a key driver in the digital evolution of the private sectors, offering a baseline
for expanding and scaling applications and services by enhancing scalability, cost-efficiency and data processing. Service
models offer different layers for pushing technological evolution, where infrastructure/platform/software can be assimilated
to services that can be deployed in different cloud models, depending on the specific needs of the users in keeping resources
public or private or hybrid. By leveraging on-demand computing power, big data analytics, and global data accessibility and
sharing, cloud computing improves business efficiency, scientific research, and innovation, benefiting society and business.
Taking these concepts as granted, cloud computing can be seen as an opportunity for operational oceanography, for enhancing
ocean prediction and monitoring by exploiting its collaborative framework to support Blue Economy, sustainable ocean
management and climate change mitigation actions. The simplified pattern analysis has revealed how OOFs architecture
components can be implemented in cloud environment without the burden of maintaining complex infrastructure: common
tasks like processing and analysing of large datasets can be optimized in cloud-native storages, using software that can be
integrated by AI/ML techniques for anomaly detection, or by means of specific APIs for data searching and retrieving. Cloud-
based visualization and data delivery can ensure security especially for critical information that can impact decision-making,
driving better-informed policies and responses in marine and coastal management.
Despite these advantages, several challenges remain, some of them partially solved with the implementation of existing
deployments models (hybrid cloud, for instance): interoperability, that is one of the pillars for cloud-based environments,
requires definition of data standards and adoption of best practices. Security in data access/sharing as well as costs associated
with running of forecasting systems can raise constraints for vendor lock-in and long-term sustainability.
Promoting a collaborative framework among existing and new centers could be seen as one promising approach for fostering
innovation, collaboration and more efficient ocean prediction and monitoring: by leveraging shared cloud-based resources,

³⁷ <https://www.euro-argo.eu/>

³⁸ <https://emodnet.ec.europa.eu/en>

³⁹ <https://elixir-europe.org/services/biodiversity>

⁴⁰ <https://www.eurobioimaging.eu/>

⁴¹ <https://www.icos-cp.eu/observations/ocean/otc>

⁴² <https://www.eudat.eu/>

forecasting centres can combine their expertise and share data and tools, supporting the creation of a “digital twin” of the ocean, to use for wide range of applications for managing and protecting our ocean.

References

Abraham, S., Paul; A.K., Khan, R.I.S., Butt, A.R.: On the Use of Containers in High Performance Computing Environments. 2020 IEEE 13th International Conference on Cloud Computing (CLOUD), 19-23 October 2020, Beijing, China, 10.1109/CLOUD49709.2020.00048, 2020.

Alvarez Fanjul, E., Ciliberti, S., Pearlman, J., Wilmer-Becker, K., Arduin, F., Arnaud, A., Azizzadenesheli, K., Bahurel, P., Bell, M., Berthou, S., Bertino, L., Calewaert, J. B., Capet, A., Chassignet, E., Ciavatta, S., Cirano, M., Clementi, E., Cornacchia, L., Cossarini, G., Coro, G., Corney, S., Davidson, F., Drevillon, M., Drillet, Y., Dussurget, R., El Serafy, G., Fennel, K., Heimbach, P., Hernandez, F., Hogan, P., Hoteit, I., Joseph, S., Josey, S., Le Traon, P.-Y., Libralato, S., Mancini, M., Martin, M., Matte, P., Melet, A., Miyazawa, Y., Moore, A. M., Novellino, A., O'Donncha, F., Porter, A., Qiao, F., Regan, H., Schiller, A., Siddorn, J., Sotillo, M. G., Staneva, J., Thomas-Courcoux, C., Thupaki, P., Tonani, M., Garcia Valdecasas, J. M., Veitch, J., von Schuckmann, K., Wan, L., Wilkin, J., Zufic, R.: The OceanPrediction DCC Architecture for Ocean Forecasting. Edited by E. Alvarez Fanjul, S. Ciliberti, P. Bahurel, DOI: doi.org/10.48670/oofsarchitecture, 2024.

Alvarez Fanjul, E., Ciliberti, S., -Bahurel, P.: Implementing Operational Ocean Monitoring and Forecasting Systems. IOC-UNESCO, GOOS-275, <https://doi.org/10.48670/ETOOFS>, 2022.

Assante, M., Candela, L., Castelli, D., Cirillo, R., Coro, G., Frosini, L., Lelii, L., Mangiacrapa, F., Pagano, P., Panichi, G., Sinibaldi, F.: Enacting open science by D4Science. Future Generation Computer Systems, 101, 555-563, <https://doi.org/10.1016/j.future.2019.05.063>, 2019

Bahurel, P., Adragna, F., Bell, M., Jacq, F., Johannessen, J., Le Traon, P.-Y., Pinardi, N., She, J. (2010). Ocean Monitoring and Forecasting Core Services, the European MyOcean Example. Proceedings of OceanObs'09: Sustained Ocean Observations and Information for Society, doi:10.5270/OceanObs09.pp.02

Benedicic, L., Cruz, F.A., Madonna, A., Mariotti, K.: Sarus: Highly Scalable Docker Containers for HPC Systems. In: Weiland, M., Juckeland, G., Alam, S., Jagode, H. (eds) High Performance Computing. ISC High Performance 2019. Lecture Notes in Computer Science(), vol 11887. Springer, Cham. https://doi.org/10.1007/978-3-030-34356-9_5, 2019.

Butler, K., and Merati, N.: Chapter 2 - Analysis patterns for cloud centric atmospheric and ocean research. Cloud Computing in Ocean and Atmospheric Sciences, 15-34. <https://doi.org/10.1016/B978-0-12-803192-6.00002-5>, 2016.

Chellappa, R.; Intermediaries in cloud-computing: A new computing paradigm. INFORMS Dallas 1997, Cluster: Electronic Commerce, Dallas, Texas, 1997.

Chung, M.T., Quang-Hung, N., Nguyen, M.-T., Thoai, N.: Using Docker in high performance computing applications. 2016 IEEE Sixth International Conference on Communications and Electronics (ICCE), 27-29 July 2016, Ha-Long, Vietnam, 10.1109/CCE.2016.7562612, 2016.

- Gantikow, H., Walter, S., Reich, C.: Rootless Containers with Podman for HPC. In: Jagode, H., Anzt, H., Juckeland, G., Ltaief, H. (eds) *High Performance Computing. ISC High Performance 2020. Lecture Notes in Computer Science*, 12321. Springer, Cham. https://doi.org/10.1007/978-3-030-59851-8_23, 2020.
- 330 Geyer-Schulz, A., Hahsler, M.: *Software Engineering with Analysis Patterns. Working Papers on Information Systems, Information Business and Operations*, 01/2001. Institut für Informationsverarbeitung und Informationswirtschaft, WU Vienna University of Economics and Business, Vienna.
- Heimbach, P., O'Donncha, F., Smith, T., Garcia-Valdecasas, J. M., Arnaud, A., and Wan, L.: *Crafting the Future: Machine Learning for Ocean Forecasting*, in: *Ocean prediction: present status and state of the art (OPSR)*, edited by: Álvarez Fanjul, E., Ciliberti, S. A., Pearlman, J., Wilmer-Becker, K., and Behera, S., Copernicus Publications, State Planet, 5-opsr, 22,
- 335 <https://doi.org/10.5194/sp-5-opsr-22-2025>, 2025.
- Hong, J., Dreibholz, T., Schenkel, J.A., Hu, J.A.: An Overview of Multi-cloud Computing. In: Barolli, L., Takizawa, M., Xhafa, F., Enokido, T. (eds) *Web, Artificial Intelligence and Network Applications. WAINA 2019. Advances in Intelligent Systems and Computing*, vol 927. Springer, Cham. https://doi.org/10.1007/978-3-030-15035-8_103, 2019.
- Jacobsen, D.M., and Canon, R.S.: *Contain This, Unleashing Docker for HPC*. Cray User Group 2015, 14. Available at
- 340 <https://www.nersc.gov/assets/Uploads/cug2015udi.pdf>, 2015 (last access: 29/07/2024).
- Kurtzer, G.M., Sochat, V., Bauer, M.W.: Singularity: Scientific containers for mobility of compute. *PLOS ONE* 12(5), 1–20. <https://doi.org/10.1371/journal.pone.0177459>, 2017.
- Mahmood Z., Puttini, R., Erl, T.: *Cloud Computing: Concepts, Technology & Architecture*. Prentice Hall Press, USA, 1st edition, 2013.
- 345 Mancini, M., and Aloisio, G.: How advanced cloud technologies can impact and change HPC environments for simulation. 2015 International Conference on High Performance Computing & Simulation (HPCS), Amsterdam, Netherlands, 667-668. DOI: 10.1109/HPCSim.2015.7237116, 2015.
- Mell, P., and Grance, T.: *The NIST Definition of Cloud Computing*. Computing Security Resource Center, NIST Special Publication 800-145, National Institute of Standards and Technology. <https://doi.org/10.6028/NIST.SP.800-145> , 2011.
- 350 Priedhorsky, R., and Randles, T.: Charliecloud: Unprivileged Containers for User-Defined Software Stacks in HPC. SC17: International Conference for High Performance Computing, Networking, Storage and Analysis, Denver, CO, USA, 2017, pp. 1-10, 2017.
- Pushpa, J., and Kalyani, S.A.: Chapter Three - Using fog computing/edge computing to leverage Digital Twin. *Advances in Computers*, 117(1), 51-77, <https://doi.org/10.1016/bs.adcom.2019.09.003>, 2020.
- 355 Ramamurthy, M. K.: *Data-Proximate Computing, Analytics, and Visualization Using Cloud-Hosted Workflows and Data Services*. American Meteorological Society, 98th Annual Meeting, Austin, 2018. Available at: <https://ams.confex.com/ams/98Annual/webprogram/Paper337167.html>, 2018 (last access: 29/07/2024).
- Vance, T. C. , Merati, N., Yang, C., Yuan, M.: *Cloud Computing in Ocean and Atmospheric Sciences*, Academic Press. <https://doi.org/10.1016/C2014-0-04015-4>, 2016.

- 360 Vance T. C., Wengren, M., Burger, E., Hernandez, D., Kearns, T., Medina-Lopez, E., Merati, N., O'Brien, K., O'Neil, J., Potemra, J.T., Signell, R.P., and Wilcox, K.: From the Oceans to the Cloud: Opportunities and Challenges for Data, Models, Computation and Workflows. *Frontiers in Marine Science*, 6. <https://doi.org/10.3389/fmars.2019.00211>, 2019.
- Veitch, J., Alvarez-Fanjul, E., Capet, A., Ciliberti, S., Cirano, M., Clementi, E., Davidson, F., el Sarafy, G., Franz, G., Hogan, P., Joseph, S., Liubartseva, S., Miyazawa, Y., Regan, H., and Spanoudaki, K.: A description of Ocean Forecasting Applications around the Globe, in: *Ocean prediction: present status and state of the art (OPSR)*, edited by: Álvarez Fanjul, E., Ciliberti, S. A., Pearlman, J., Wilmer-Becker, K., and Behera, S., Copernicus Publications, State Planet, 5-opsr, 6, <https://doi.org/10.5194/sp-5-opsr-6-2025>, 2025.
- Wilkinson, M., Dumontier, M., Aalbersberg, I. et al.: The FAIR Guiding Principles for scientific data management and stewardship. *Sci Data* 3, 160018, <https://doi.org/10.1038/sdata.2016.18>, 2016.
- 370 Wong, A. P. S., et al. (2020), Argo Data 1999–2019: Two Million Temperature-Salinity Profiles and Subsurface Velocity Observations From a Global Array of Profiling Floats, *Frontiers in Marine Science*, 7(700), doi: <https://doi.org/10.3389/fmars.2020.00700>
- Assante, M., Candela, L., Castelli, D., Cirillo, R., Coro, G., Frosini, L., Lelii, L., Mangiacrapa, F., Pagano, P., Panichi, G., Sinibaldi, F. (2019). Enacting open science by D4Science. *Future Generation Computer Systems*, 101, 555-563.
- 375 Benedicic, L., Cruz, F.A., Madonna, A., Mariotti, K.: Sarus: Highly Scalable Docker Containers for HPC Systems. In: Weiland, M., Juckeland, G., Alam, S., Jagode, H. (eds) *High Performance Computing. ISC High Performance 2019. Lecture Notes in Computer Science()*, vol 11887. Springer, Cham. https://doi.org/10.1007/978-3-030-34356-9_5, 2019.
- Butler, K., and Merati, N.: Chapter 2—Analysis patterns for cloud-centric atmospheric and ocean research. *Cloud Computing in Ocean and Atmospheric Sciences*, 15-34. <https://doi.org/10.1016/B978-0-12-803192-6.00002-5>, 2016.
- 380 Gantikow, H., Walter, S., Reich, C.: Rootless Containers with Podman for HPC. In: Jagode, H., Anzt, H., Juckeland, G., Ltaief, H. (eds) *High Performance Computing. ISC High Performance 2020. Lecture Notes in Computer Science*, 12321. Springer, Cham. https://doi.org/10.1007/978-3-030-59851-8_23, 2020.
- Jacobsen, D.M., and Canon, R.S.: Contain This, Unleashing Docker for HPC. *Cray User Group 2015*, 14. Available at <https://www.nersc.gov/assets/Uploads/cug2015udi.pdf>, 2015 (last access: 29/07/2024).
- 385 Kurtzer, G.M., Sochat, V., Bauer, M.W.: Singularity: Scientific containers for mobility of compute. *PLOS ONE* 12(5), 1–20. <https://doi.org/10.1371/journal.pone.0177459>, 2017.
- Mahmood Z., Puttini, R., Erl, T.: *Cloud Computing: Concepts, Technology & Architecture*. Prentice Hall Press, USA, 1st edition, 2013.
- Mancini, M., and Aloisio, G.: How advanced cloud technologies can impact and change HPC environments for simulation. 2015 International Conference on High Performance Computing & Simulation (HPCS), Amsterdam, Netherlands, 667-668. DOI: 10.1109/HPCSim.2015.7237116, 2015.
- 390 Mell, P., and Grance, T.: *The NIST Definition of Cloud Computing*. Gaithersburg, MD: National Institute of Standards and Technology. doi: 10.6028/NIST.SP.800-145, 2011.

395 ~~Priedhorsky, R., and Randles, T.: Charliecloud: Unprivileged Containers for User-Defined Software Stacks in HPC. SC17: International Conference for High Performance Computing, Networking, Storage and Analysis, Denver, CO, USA, 2017, pp. 1–10, 2017.~~

~~Ramamurthy, M. K.: Data Proximate Computing, Analytics, and Visualization Using Cloud-Hosted Workflows and Data Services. American Meteorological Society, 98th Annual Meeting, Austin, 2018. Available at: <https://ams.confex.com/ams/98Annual/webprogram/Paper337167.html>, 2018 (last access: 29/07/2024).~~

400 ~~Vance T. C., Wengren, M., Burger, E., Hernandez, D., Kearns, T., Medina Lopez, E., Merati, N., O'Brien, K., O'Neil, J., Potemra, J.T., Signell, R.P., and Wilcox, K.: From the Oceans to the Cloud: Opportunities and Challenges for Data, Models, Computation and Workflows. Frontiers in Marine Science, 6. <https://doi.org/10.3389/fmars.2019.00211>, 2019.~~

~~Vance, T. C. , Merati, N., Yang, C., Yuan, M.: Cloud Computing in Ocean and Atmospheric Sciences, Academic Press. <https://doi.org/10.1016/C2014-0-04015-4>, 2016.~~

405 **Competing interests**

The contact author has declared that none of the authors has any competing interests.

~~Data and/or code availability~~

~~This can also be included at a later stage, so no problem to define it for the first submission.~~

Authors contribution

410 ~~This can also be included at a later stage, so no problem to define it for the first submission.~~SC contributed to the conceptualization, writing and validation. GP contributed to the writing and validation.

Acknowledgements

The Authors are grateful to Dr. Marco Mancini for sharing his expert view in support of this contribution.